



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	HANS BOEKHOFF	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	GLEN ROBERTSON	Sales Agent #		GPS Lat									
State/Prov.	ON	Sales Agent	MACEWEN	GPS Long									
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/9/2008		Corn Rootworm								
Previous Crop	Alfalfa	Harvest Date	10/23/2008			CE/WBC/FA							
Planting Rate	31,000	Soil Applied Ins.					SCN						
Tillage	Conventional	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Do Not Include in Analysis				-----Corn-----		--Soybean--		Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging						
1	NK	N23-F7	Cruiser 250	2130	23.0	533	30.0	6	187.7	53.4												
2	NK	N3030Bt	Cruiser 250	2050	24.1	538	30.0	6	176.4	54.1												
3	Pioneer	38N87	Poncho 250	2130	27.1	538	30.0	6	176.1	53.4												
4	NK	N27B CB/LL/RW	Cruiser 250	2000	24.2	538	30.0	6	171.9	52.0												
5	PICKSEED	2788VT3	Poncho 250	1830	23.2	538	30.0	6	159.4	52.6												
6	Pioneer	38N60	Poncho 250	1960	22.2	538	30.0	6	172.9	53.4												
7	NK	N27-W8	Cruiser 250	2030	22.6	538	30.0	6	178.2	54.1												
8	NK	N23F 3000GT	Cruiser 250	1970	21.6	538	30.0	6	175.1	54.9												
9	NK	N25N GT/CB/LL	Cruiser 250	1880	20.2	538	30.0	6	170.1	54.1												
10	NK	N29T CB/LL	Cruiser 250	2120	23.2	538	30.0	6	184.6	53.4												
11																						
12																						
13																						



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	DAVE BRYAN	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN							
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON							
City	WINCHESTER	Sales Agent #		GPS Lat								
State/Prov.	ON	Sales Agent	SUMMIT	GPS Long								
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep							
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None				
Irrigation Type		Planting Date	5/2/2008		Corn Rootworm							
Previous Crop	Soybean	Harvest Date	11/5/2008			CE/WBC/FA						
Planting Rate		Soil Applied Ins.					SCN					
Tillage	No-Till	Soil Applied Rate						Aphid				
Soil Texture	Medium	Soil pH										
Directions												
Comments												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N25-J7	Cruiser 250	8265	20.5	1760	30.0	8	170.8	58.0	31								
2	NK	N27B CB/LL/RW	Cruiser 250	8710	20.5	1764	30.0	8	179.6	53.4									
3	NK	N23-F9	Cruiser 250	8925	21.0	1767	30.0	8	182.6	56.5									
4	NK	N23-F7	Cruiser 250	8845	20.6	1770	30.0	8	181.5	57.0									
5	NK	N23F 3000GT	Cruiser 250	8710	20.6	1773	30.0	8	178.5	57.2									
6	Pioneer	38N87	Poncho 250	8820	21.4	1776	30.0	8	178.6	57.2									
7	NK	N25N GT/CB/LL	Cruiser 250	7580	20.2	1779	30.0	8	155.6	57.0									
8	NK	N27B CB/LL/RW	Cruiser 250	8960	20.5	1782	30.0	8	182.9	53.0									
9	NK	N27-W8	Cruiser 250	8650	20.4	1785	30.0	8	176.5	55.7									
10	NK	N29-A5	Cruiser 250	8880	21.2	1788	30.0	8	179.1	51.0									
11	NK	N29T CB/LL	Cruiser 250	8575	20.0	1791	30.0	8	175.3	53.0									
12	NK	NX2977	Cruiser 250	9065	21.4	1794	30.0	8	181.7	54.5									
13	NK	NX2457	Cruiser 250	8560	20.4	1797	30.0	8	173.5	54.1									
14	NK	N27B CB/LL/RW	Cruiser 250	9200	20.3	1800	30.0	8	186.4	53.4									
15	Pioneer	38M58	Poncho 250	9075	20.3	1750	30.0	8	189.1	57.8									
16	NK	N25-J7	Cruiser 250	8410	20.2	1750	30.0	8	175.5	58.5									
17																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	BRIAN & TRACEY BURNETT	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN							
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON							
City	MARIONVILLE	Sales Agent #		GPS Lat	45.1905							
State/Prov.	ON	Sales Agent	SUMMIT	GPS Long	-75.3604							
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep							
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None				
Irrigation Type		Planting Date	5/8/2008		Corn Rootworm							
Previous Crop	Corn	Harvest Date	10/24/2008			CE/WBC/FA						
Planting Rate		Soil Applied Ins.					SCN					
Tillage	Conventional	Soil Applied Rate						Aphid				
Soil Texture	Medium	Soil pH										
Directions												
Comments												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N29-A2	Cruiser 250	2665	23.3	800	30.0	6	155.9	52.0									
2	NK	N34-F1	Cruiser 250	2960	28.1	800	30.0	6	162.3	48.0									
3	NK	N29-A5	Cruiser 250	3100	24.5	800	30.0	6	178.5	52.0									
4	NK	N25N GT/CB/LL	Cruiser 250	2690	22.0	800	30.0	6	160.0	56.0									
5	NK	N29T CB/LL	Cruiser 250	3055	22.5	800	30.0	6	180.6	53.5									
6	NK	N23F-3000GT	Cruiser 250	2920	23.5	800	30.0	6	170.4	56.0									
7	NK	N27-W8	Cruiser 250	2930	23.0	800	30.0	6	172.1	55.0									
8	NK	N27B CB/LL/RW	Cruiser 250	3055	24.6	800	30.0	6	175.7	53.5									
9	Pioneer	38M59	Poncho 250	3105	24.6	800	30.0	6	178.5	55.0									
10	DeKalb	DKC 44-93	Poncho 250	2900	26.0	800	30.0	6	163.7	51.5									
11	DeKalb	DKC43-65	Poncho 250	2890	25.0	800	30.0	6	165.3	52.5									
12																			
13																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	ALLAN DEVIRES	Sales Rep #	EST	Trial County	Stormont Dundas and Glengarry			
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON			
City	WINCHESTER	Sales Agent #		GPS Lat	44.9821			
State/Prov.	ON	Sales Agent	SUMMIT	GPS Long	-75.3537			
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep			
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None
Irrigation Type		Planting Date	4/23/2008			X		
Previous Crop	Wheat	Harvest Date	10/14/2008		Corn Rootworm			
Planting Rate	30,000	Soil Applied Ins.			CE/WBC/FA			
Tillage	Conventional	Soil Applied Rate			SCN			
Soil Texture	Medium	Soil pH	Neutral		Aphid			
Directions								
Comments								

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	-----Corn-----		--Soybean--		Do Not Include
															Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	
1	NK	N33-E1	Cruiser 250	3240	25.0	1140	30.0	4	195.1	53.4	80								
2	NK	N34-F1	Cruiser 250	3450	28.2	1140	30.0	4	198.8	50.0	79								
3	NK	NX3447	Cruiser 250	3490	28.2	1140	30.0	4	201.2	55.7	83								
4	NK	NX3567	Cruiser 250	3505	34.5	1140	30.0	4	184.3	48.0	75								
5	NK	N34F-GT	Cruiser 250	3360	27.0	1140	30.0	4	196.9	51.0	79								
6	NK	NX3887	Cruiser 250	3075	26.2	1140	30.0	4	182.2	49.0	78								
7	NK	N33J-GT/CB/LL	Cruiser 250	3390	27.0	1140	30.0	4	198.7	54.2	80								
8	NK	N29-A5	Cruiser 250	3420	27.8	1140	30.0	4	198.2	52.0	83								
9	Pioneer	38M58	Cruiser 250	3130	24.2	1140	30.0	4	190.5	55.5	82								
10	NK	N29T-CB/LL	Cruiser 250	3460	22.4	1140	30.0	4	215.5	54.0	82								
11	NK	N27B-CB/LL/RW	Cruiser 250	3420	24.0	1140	30.0	4	208.6	55.0	74								
12	NK	NX2977	Cruiser 250	3350	23.6	1140	30.0	4	205.5	55.0	86								
13	NK	N33-E1	Cruiser 250	3590	28.6	1140	30.0	4	205.8	52.6	90								
14																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	DALE DINGWALL	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN							
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON							
City	FINCH	Sales Agent #		GPS Lat								
State/Prov.	ON	Sales Agent	MACEWEN	GPS Long								
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent							
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None				
Irrigation Type		Planting Date	5/1/2008		Corn Rootworm							
Previous Crop	Wheat	Harvest Date	11/1/2008			CE/WBC/FA						
Planting Rate		Soil Applied Ins.					SCN					
Tillage	Conventional	Soil Applied Rate						Aphid				
Soil Texture	Medium	Soil pH										
Directions												
Comments												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Soybean-- --Sorghum--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	MAIZEX	MZ310	Poncho 250	2060	19.8	741	30.0	6	136.0	54.9									X
2	MAIZEX	3888BT	Poncho 250	3440	20.0	440	30.0	12	190.8	56.4									
3	MAIZEX	3055BT	Poncho 250	3510	19.0	440	30.0	12	197.1	57.0									
4	NK	N25N GT/CB/LL	Cruiser 250	3470	19.0	440	30.0	12	194.9	57.2									
5	NK	N27B CB/LL/RW	Cruiser 250	3720	20.2	440	30.0	12	205.8	54.6									
6	NK	N29T CB/LL	Cruiser 250	3770	19.5	440	30.0	12	210.4	54.9									
7	NK	N29-A2	Cruiser 250	3430	19.7	440	30.0	12	190.9	54.7									
8	NK	N23F 3000GT	Cruiser 250	3650	20.0	440	30.0	12	202.4	56.4									
9																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	DONEVELYN FARMS	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN			
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON			
City	WINCHESTER	Sales Agent #		GPS Lat	45.1890			
State/Prov.	ON	Sales Agent	SUMMIT	GPS Long	-75.3844			
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep			
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None
Irrigation Type		Planting Date	5/9/2008			X		
Previous Crop	Soybean	Harvest Date	10/20/2008		Corn Rootworm			
Planting Rate	31,000	Soil Applied Ins.			CE/WBC/FA			
Tillage	Minimum	Soil Applied Rate			SCN			
Soil Texture	Medium	Soil pH			Aphid			
Directions								
Comments								

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	DeKalb	DKC43-65	Poncho 250	4550	22.3	1245	30.0	6	173.2	53.7									
2	NK	N27B CB/LL/RW	Cruiser 250	9140	21.0	1245	30.0	12	176.9	56.4									
3	NK	N33-E1	Cruiser 250	9090	24.1	1245	30.0	12	169.0	53.8									
4	NK	N32C CB/LL/RW	Cruiser 250	9800	24.9	1245	30.0	12	180.3	53.4									
5	NK	NX3297	Cruiser 250	8740	26.0	1245	30.0	12	158.5	54.1									
6	NK	N29T CB/LL	Cruiser 250	9340	20.7	1245	30.0	12	181.5	55.3									
7	NK	NX2937	Cruiser 250	8680	21.1	1245	30.0	12	167.8	55.7									
8	NK	N29-A5	Cruiser 250	9240	24.9	1245	30.0	12	170.0	53.6									
9	NK	N29-A2	Cruiser 250	4780	22.5	1245	30.0	6	181.5	54.9									
10	NK	NX2977	Cruiser 250	4790	23.0	1245	30.0	6	180.7	57.3									
11	NK	N27B CB/LL/RW	Cruiser 250	9350	22.1	1245	30.0	12	178.5	55.7									
12	Pioneer	38N87	Poncho 250	9280	23.9	1245	30.0	12	173.0	55.3									
13	NK	N27-W8	Cruiser 250	9090	20.5	1245	30.0	12	177.1	58.3									
14	NK	N25N GT/CB/LL	Cruiser 250	8660	20.4	1245	30.0	12	168.9	59.8									
15	NK	NX2457	Cruiser 250	8820	21.0	1245	30.0	12	170.7	58.0									
16	NK	NX2556	Cruiser 250	9400	20.9	1245	30.0	12	182.2	57.6									
17	NK	N23F-3000GT	Cruiser 250	8790	21.3	1245	30.0	12	169.5	59.5									

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	NK	N23-F7	Cruiser 250	9310	20.9	1245	30.0	12	180.4	59.2									
19	NK	N27B CB/LL/RW	Cruiser 250	9500	21.7	1245	30.0	12	182.3	56.4									
20	NK	N23-F9	Cruiser 250	9130	21.7	1245	30.0	12	175.2	59.5									
21																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	JOHN FERGUSON		Sales Rep #	EST		Trial County	STORMONT DUNDAS AND GLEN													
Address			Sales Rep	JEREMY NIXON		Trial State/Prov.	ON													
City	LANCASTER		Sales Agent #			GPS Lat	45.1929													
State/Prov.	ON		Sales Agent	MUNRO		GPS Long	-74.5265													
Cooperator Postal Code			Retail Account			Harvested By	Dealer/Sales Agent													
Water Mgmt.	None		Weighing Device	Weigh Wagon/Pads		Corn Borer	Severe	Mod.	Low	None										
Irrigation Type			Planting Date	5/17/2008			Corn Rootworm													
Previous Crop	Wheat		Harvest Date	11/10/2008				CE/WBC/FA												
Planting Rate	31,000		Soil Applied Ins.						SCN											
Tillage	Conventional		Soil Applied Rate							Aphid										
Soil Texture	Medium		Soil pH																	
Directions																				
Comments	N29T CB/LL IS SEVERLY LODGED.																			
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.											X	Cooperator Signature		Signature on File						
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows											Do Not Include in Analysis		-----Corn-----			--Sorghum--				
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538													--Soybean--							
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N27B CB/LL/RW	Cruiser 250	2640	26.2	514	30.0	12	115.6	48.3										
2	NK	N29T CB/LL	Cruiser 250	2978	28.9	514	30.0	12	125.7	45.7										
3	NK	N29-A5	Cruiser 250	2820	30.5	514	30.0	12	116.3	46.8										
4	NK	NX2937	Cruiser 250	3098	29.7	514	30.0	12	129.3	47.1										
5	NK	N27-W8	Cruiser 250	3146	26.2	514	30.0	12	137.8	51.4										
6	NK	NX3297	Cruiser 250	3070	31.0	514	30.0	12	125.7	46.8										
7	NK	N33-E1	Cruiser 250	3012	27.7	514	30.0	12	129.2	47.1										
8	NK	NX3345	Cruiser 250	3288	32.9	514	30.0	12	130.9	45.7										
9	NK	N27B CB/LL/RW	Cruiser 250	3010	26.0	514	30.0	12	132.2	48.3										
10	NK	N23F 3000GT	Cruiser 250	2928	25.0	514	30.0	12	130.3	50.6										
11	NK	N23K CB/LL	Cruiser 250	3190	26.0	514	30.0	12	140.1	50.8										
12	NK	N25N GT/CB/LL	Cruiser 250	3096	26.0	514	30.0	12	136.0	51.1										
13	Pioneer	38H08	Poncho 250	3274	25.8	514	30.0	12	144.2	47.9										
14	NK	N27B CB/LL/RW	Cruiser 250	3332	26.1	514	30.0	12	146.1	49.1										
15																				



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	FOURNEYVIEW FARMS	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN															
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON															
City	LANCASTER	Sales Agent #		GPS Lat																
State/Prov.	ON	Sales Agent	MUNRO	GPS Long																
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent															
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None												
Irrigation Type		Planting Date	5/10/2008		Corn Rootworm															
Previous Crop	Corn	Harvest Date	11/5/2008			CE/WBC/FA														
Planting Rate	31,000	Soil Applied Ins.					SCN													
Tillage	Conventional	Soil Applied Rate						Aphid												
Soil Texture	Medium	Soil pH																		
Directions																				
Comments																				
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.										X	Cooperator Signature		Signature on File							
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows										Do Not Include in Analysis		-----Corn-----			--Sorghum--					
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538															--Soybean--					
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N23F 3000GT	Cruiser 250	3196	21.8	841	30.0	6	181.3	55.0										
2	Croplan	2340 RN	Poncho 250	2804	21.7	841	30.0	6	159.3	54.7										
3	Croplan	314VT3	Poncho 250	3052	21.5	841	30.0	6	173.8	54.0										
4	NK	N27B CB/LL/RW	Cruiser 250	3260	21.9	841	30.0	6	184.7	51.0										
5	NK	N29-A5	Cruiser 250	3274	24.7	841	30.0	6	178.8	48.1										
6	NK	N29-A2	Cruiser 250	3156	23.7	841	30.0	6	174.7	49.4										
7																				



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	HAYWAY FARMS	Sales Rep #	EST	Trial County	RENFREW							
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON							
City	COBDEN	Sales Agent #		GPS Lat								
State/Prov.	ON	Sales Agent	M&R FEEDS	GPS Long								
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep							
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None				
Irrigation Type		Planting Date	5/23/2008		Corn Rootworm							
Previous Crop	Wheat	Harvest Date	11/6/2008			CE/WBC/FA						
Planting Rate		Soil Applied Ins.					SCN					
Tillage	Conventional	Soil Applied Rate						Aphid				
Soil Texture	Medium	Soil pH										
Directions												
Comments												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Soybean-- --Sorghum--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	MAIZEX	MX864BT/RR	Poncho 250	3280	24.5	1416	30.0	4	160.0	50.0									
2	MAIZEX	MX2276R	Poncho 250	3068	25.5	1416	30.0	4	147.7	50.5									
3	PICKSEED	2774BT/RR	Cruiser 250	3290	26.0	1416	30.0	4	157.3	49.0									
4	Pioneer	39B23	Poncho 250	3474	27.4	1416	30.0	4	163.0	49.0									
5	Mycogen	2P174	Poncho 250	3180	27.5	1416	30.0	4	149.0	46.4									
6	NK	N23K CB/LL	Cruiser 250	3420	27.4	1416	30.0	4	160.5	51.0									
7	Pride	A5362	Poncho 250	3140	24.8	1416	30.0	4	152.6	48.8									
8	Pioneer	39D82	Poncho 250	3674	27.5	1416	30.0	4	172.1	48.6									
9	MAIZEX	MX2263BT	Poncho 250	3285	24.2	1416	30.0	4	160.9	48.0									
10	NK	N16-M1	Cruiser 250	3068	24.2	1416	30.0	4	150.3	52.5									
11	Mycogen	2K154	Poncho 250	3220	26.8	1416	30.0	4	152.3	52.0									
12	Pride	A5672RR	Poncho 250	3412	28.6	1416	30.0	4	157.4	48.0									
13	MAIZEX	MX2722B	Poncho 250	3335	28.0	1416	30.0	4	155.2	46.4									
14	NK	NX1947	Cruiser 250	3320	24.0	1416	30.0	4	163.1	52.6									
15	Pioneer	39B77	Poncho 250	3385	26.4	1416	30.0	4	161.0	46.4									
16	Pride	A5365G3	Poncho 250	3252	25.6	1416	30.0	4	156.4	48.0									
17	NK	NX1737	Cruiser 250	3340	27.0	1416	30.0	4	157.6	52.0									

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	NK	N23F 3000GT	Cruiser 250	3152	26.0	1416	30.0	4	150.7	46.4									
19	Pioneer	38B13	Poncho 250	3435	29.0	1416	30.0	4	157.6	46.4									
20	Pride	A6094G3	Poncho 250	3142	29.8	1416	30.0	4	142.5	47.2									
21	NK	N25N GT/CB/LL	Cruiser 250	3205	27.4	1416	30.0	4	150.4	48.0									
22	NK	N27B CB/LL/RW	Cruiser 250	3284	26.2	1416	30.0	4	156.6	45.6									
23	Pride	A6009GT	Poncho 250	3600	28.6	1416	30.0	4	166.1	44.8									
24	Pioneer	38N87	Poncho 250	3436	31.4	1416	30.0	4	152.3	47.2									
25	Pride	A6011R	Poncho 250	3460	30.5	1416	30.0	4	155.4	45.0									
26	NK	N16-M1	Cruiser 250	3126	25.0	1416	30.0	4	151.5	52.0									
27																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	MARKUS HEARLE	Sales Rep #	EST	Trial County	PRESCOTT AND RUSSEL								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	ST ISIDORE	Sales Agent #		GPS Lat									
State/Prov.	ON	Sales Agent	MACEWENS	GPS Long									
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/7/2008		Corn Rootworm								
Previous Crop	Corn	Harvest Date	11/11/2008			CE/WBC/FA							
Planting Rate		Soil Applied Ins.					SCN						
Tillage		Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Do Not Include in Analysis				-----Corn-----		--Soybean--		Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging						
1	Mycogen	2K154	Poncho 250	2448	20.0	746	30.0	6	160.2	55.1												
2	NK	N16-M1	Cruiser 250	2415	20.5	742	30.0	6	157.9	54.0												
3	Mycogen	2P174	Poncho 250	2510	19.9	738	30.0	6	166.2	54.3												
4	ELITE	25T29VT3	Poncho 250	2430	19.8	734	30.0	6	162.0	55.2												
5	Pioneer	39B23	Poncho 250	2606	23.7	738	30.0	6	164.4	55.0												
6	NK	N23K CB/LL	Cruiser 250	2040	23.5	742	30.0	6	128.3	54.4												
7	Pioneer	38B13	Poncho 250	2687	24.2	746	30.0	6	166.6	52.4												
8	NK	N23F 3000GT	Cruiser 250	2495	23.6	754	30.0	6	154.2	55.4												
9	Pioneer	38N85	Poncho 250	2638	23.5	763	30.0	6	161.4	54.8												
10	ELITE	25T19RR	Poncho 250	2540	22.9	761	30.0	6	157.0	55.3												
11	NK	N27-W8	Cruiser 250	2654	23.8	759	30.0	6	162.6	55.0												
12	Pioneer	38N87	Poncho 250	2640	24.0	758	30.0	6	161.5	54.6												
13	NK	N25N GT/CB/LL	Cruiser 250	2458	23.8	756	30.0	6	151.1	55.4												
14	Pioneer	38H08	Poncho 250	2590	24.6	756	30.0	6	157.6	52.3												
15	NK	N27B CB/LL/RW	Cruiser 250	2666	24.2	753	30.0	6	163.7	52.1												
16	Pioneer	38M58	Poncho 250	2535	23.8	751	30.0	6	156.9	56.2												
17	Mycogen	2D326	Poncho 250	2588	24.9	749	30.0	6	158.3	53.0												

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	NK	N29T CB/LL	Cruiser 250	2725	24.0	747	30.0	6	169.1	51.8									
19	Pioneer	38P43	Poncho 250	2602	24.8	746	30.0	6	160.0	56.5									
20	ELITE	15W19	Poncho 250	2570	24.6	744	30.0	6	158.9	54.1									
21	Mycogen	2R426	Poncho 250	2568	24.8	742	30.0	6	158.8	53.5									
22	Pioneer	37Y13	Poncho 250	2710	26.6	739	30.0	6	164.2	51.9									
23	ELITE	44S22RR	Poncho 250	2612	24.6	741	30.0	6	162.1	53.4									
24	Pioneer	38M58	Poncho 250	2630	23.6	741	30.0	6	165.4	54.6									
25	NK	N27B CB/LL/RW	Cruiser 250	2694	24.6	741	30.0	6	167.2	52.1									
26																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	HOG HAVEN FARMS C/O ARNIE HAKVOORT					Sales Rep #	EST					Trial County	STORMONT DUNDAS AND GLEN									
Address						Sales Rep	JEREMY NIXON					Trial State/Prov.	ON									
City	FINCH					Sales Agent #						GPS Lat	45.1290									
State/Prov.	ON					Sales Agent	SUMMIT					GPS Long	-75.1456									
Cooperator Postal Code						Retail Account						Harvested By	Dealer/Sales Agent									
Water Mgmt.	None					Weighing Device	Weigh Wagon/Pads					Corn Borer	Severe	Mod.	Low	None						
Irrigation Type						Planting Date	4/25/2008						Corn Rootworm									
Previous Crop	Wheat					Harvest Date	11/20/2008							CE/WBC/FA								
Planting Rate						Soil Applied Ins.									SCN							
Tillage	Conventional					Soil Applied Rate										Aphid						
Soil Texture	Medium					Soil pH																
Directions																						
Comments	N25N, N29T, N29A, DKC 38-31 WAS HARVESTED 1 WAY BECAUSE OF SEVERE LODGING. THE ENTIRE PLOT WAS SEVERELY LODGED. PLEASE DO NOT PUBLISH																					
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.											Cooperator Signature											
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows											Do Not Include in Analysis			-----Corn-----				--Sorghum--				
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538																		--Soybean--				
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include			
1	NK	N27B CB/LL/RW	Cruiser 250	11950	21.7	1430	30.0	12	199.6	58.7												
2	NK	NX2977	Cruiser 250	11244	22.1	1430	30.0	12	186.8	58/												
3	NK	NX2457	Cruiser 250	10650	20.7	1430	30.0	12	180.2	58.0												
4	NK	N25N GT/CB/LL	Cruiser 250	10360	20.7	1430	30.0	12	175.2	59.5												
5	NK	N23-F7	Cruiser 250	11362	20.9	1430	30.0	12	191.7	59.5												
6	NK	N23F 3000GT	Cruiser 250	11114	20.3	1430	30.0	12	189.0	58.7												
7	Pioneer	38N87	Poncho 250	11016	21.7	1430	30.0	12	184.0	58.7												
8	NK	N27B CB/LL/RW	Cruiser 250	12000	21.4	1430	30.0	12	201.2	58.0												
9	NK	N27-W8	Cruiser 250	10168	20.3	1430	30.0	12	172.9	58.7												
10	NK	N29T CB/LL	Cruiser 250	10790	21.3	1430	30.0	12	181.1	58.7												
11	NK	N29-A5	Cruiser 250	10641	21.3	1430	30.0	12	178.6	56.4												
12	DeKalb	DKC 38-31	Poncho 250	10490	19.3	1430	30.0	12	180.6	60.2												
13	NK	N33-E1	Cruiser 250	11622	20.7	1430	30.0	12	196.6	58.0												
14	NK	N27B CB/LL/RW	Cruiser 250	11934	21.1	1430	30.0	12	200.9	58.0												
15	NK	N3030BT	Cruiser 250	10264	20.3	1430	30.0	12	174.5	58.8												



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	HOSKIN FARMS	Sales Rep #	EST	Trial County	NORTHUMBERLAND								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	GRAFTON	Sales Agent #		GPS Lat	44.1340								
State/Prov.	ON	Sales Agent	TRI COUNTY AGROMART	GPS Long	-78.0580								
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/12/2008		Corn Rootworm								
Previous Crop	Soybean	Harvest Date	11/10/2008			CE/WBC/FA							
Planting Rate	28,500	Soil Applied Ins.					SCN						
Tillage	No-Till	Soil Applied Rate						Aphid					
Soil Texture	Coarse	Soil pH											
Directions													
Comments	FIRST ENTRY OF n33-E1 HAD SOME DAMAGE FROM HARVESTER.												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Do Not Include in Analysis				-----Corn-----		--Soybean--		--Sorghum--	
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N33-E1	Cruiser 250	1950	26.6	556	30.0	6	157.1	56.0										X
2	NK	NX3447	Cruiser 250	1950	26.8	556	30.0	6	156.6	53.2										
3	NK	NX3297	Cruiser 250	1930	29.2	556	30.0	6	149.9	53.7										
4	NK	NX3567	Cruiser 250	2110	29.0	556	30.0	6	164.4	50.0										
5	NK	NX3887	Cruiser 250	1730	27.5	556	30.0	6	137.6	52.6										
6	NK	NX3346	Cruiser 250	1930	25.0	556	30.0	6	158.8	52.9										
7	NK	N33J GT/CB/LL	Cruiser 250	1940	28.0	556	30.0	6	153.3	55.5										
8	Pioneer	38M58	Poncho 250	2060	29.1	556	30.0	6	160.3	53.0										
9	NK	N29-A5	Cruiser 250	1950	27.8	556	30.0	6	154.5	52.7										
10	NK	N27B CB/LL/RW	Cruiser 250	2060	24.6	556	30.0	6	170.4	53.4										
11	NK	N33-E1	Cruiser 250	2080	28.0	556	30.0	6	164.3	57.5										
12	NK	N34F GT	Cruiser 250	1950	27.3	556	30.0	6	155.6	52.9										
13	NK	N43-C4	Cruiser 250	2200	27.5	556	30.0	6	175.0	55.0										
14	NK	N46Q CB/LL/RW	Cruiser 250	2220	29.6	556	30.0	6	171.5	53.0										
15	NK	N45A GT/CB/LL	Cruiser 250	2220	28.5	556	30.0	6	174.2	53.0										
16	Pride	A6719BTRR	Poncho 250	2160	26.8	556	30.0	6	173.5	54.3										
17	Pride	A6009BT	Poncho 250	2040	26.0	556	30.0	6	165.6	54.1										

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	Pride	A5365G3	Poncho 250	1820	23.8	556	30.0	6	152.2	56.0									
19	Pride	A6686BT	Poncho 250	2110	26.3	556	30.0	6	170.6	55.2									
20	PICKSEED	4956BT	Poncho 250	2160	27.6	556	30.0	6	171.6	57.1									
21																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	KERRYDALE	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN																
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON																
City	LANCASTER	Sales Agent #		GPS Lat																	
State/Prov.	ON	Sales Agent	MUNRO	GPS Long																	
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent																
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None													
Irrigation Type		Planting Date			Corn Rootworm																
Previous Crop		Harvest Date	10/24/2008			CE/WBC/FA															
Planting Rate		Soil Applied Ins.					SCN														
Tillage	Conventional	Soil Applied Rate						Aphid													
Soil Texture	Medium	Soil pH																			
Directions																					
Comments	YIELD CHECK																				
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.											X	Cooperator Signature		Signature on File							
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows											Do Not Include in Analysis		-----Corn-----			--Sorghum--					
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538																--Soybean--					
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include		
1	NK	N3030BT	Cruiser 250	2106	22.3	501	30.0	6	199.3	53.7									X		
2	NK	N3030BT	Cruiser 250	4142	22.3	501	30.0	12	196.0	54.1											
3	NK	N3030BT	Cruiser 250	2086	22.3	501	30.0	6	197.4	54.0											
4																					



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	ALAIN LEGAULT	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	MOOSE CREEK	Sales Agent #		GPS Lat	45.3177								
State/Prov.	ON	Sales Agent	MACEWEN	GPS Long	-74.9094								
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	4/26/2008		Corn Rootworm								
Previous Crop	Corn	Harvest Date	11/3/2008			CE/WBC/FA							
Planting Rate	31,000	Soil Applied Ins.					SCN						
Tillage	Conventional	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments	ENTRY #20 HAD NO STARTER FERTILIZER APPLIED.												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. Cooperator Signature

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis

-----Corn----- --Sorghum--

--Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N27B CB/LL/RW	Cruiser 250	2960	22.0	650	30.0	6	216.7	56.0									
2	NK	N27-W8	Cruiser 250	3420	20.5	650	30.0	8	191.4	57.0									
3	NK	N29T CB/LL	Cruiser 250	3820	21.5	650	30.0	8	211.1	54.5									
4	NK	NX2977	Cruiser 250	3500	21.5	650	30.0	8	193.4	57.2									
5	NK	N25N GT/CB/LL	Cruiser 250	3270	20.5	650	30.0	8	183.0	58.4									
6	Pioneer	38N87	Poncho 250	3410	21.5	650	30.0	8	188.4	56.6									
7	NK	NX2457	Cruiser 250	3480	19.8	650	30.0	8	196.5	57.2									
8	DeKalb	DKC38-31	Poncho 250	3310	20.5	650	30.0	8	185.2	59.2									
9	NK	N27B CB/LL/RW	Cruiser 250	3740	22.0	650	30.0	8	205.4	56.2									
10	NK	N29-A2	Cruiser 250	3540	23.6	650	30.0	8	190.4	54.5									
11	NK	N9-A5	Cruiser 250	3680	23.6	650	30.0	8	197.9	54.1									
12	NK	N23F 3000GT	Cruiser 250	3240	20.0	650	30.0	8	182.5	58.8									
13	NK	N23F GT/CB/LL	Cruiser 250	3420	20.0	650	30.0	8	192.6	58.8									
14	NK	N23-F7	Cruiser 250	3580	20.5	650	30.0	8	200.3	57.4									
15	NK	N27B CB/LL/RW	Cruiser 250	3740	22.0	650	30.0	8	205.4	56.2									
16	NK	NX1947	Cruiser 250	3090	19.9	650	30.0	8	174.2	58.7									
17	NK	N16-M1	Cruiser 250	3160	20.5	650	30.0	8	176.8	58.0									

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	NK	NX1917	Cruiser 250	3240	20.6	650	30.0	8	181.1	51.5									
19	NK	N27B CB/LL/RW	Cruiser 250	3620	22.0	650	30.0	8	198.8	56.0									
20	NK	N27B CB/LL/RW	Cruiser 250	3380	21.5	650	30.0	8	186.8	56.0									
21																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	ALAIN LEGAULT		Sales Rep #	EST		Trial County	STORMONT DUNDAS AND GLEN												
Address			Sales Rep	JEREMY NIXON		Trial State/Prov.	ON												
City	MOOSECREEK		Sales Agent #			GPS Lat	45.2606												
State/Prov.	ON		Sales Agent	MACEWENS		GPS Long	-74.9962												
Cooperator Postal Code			Retail Account			Harvested By	Dealer/Sales Agent												
Water Mgmt.	None		Weighing Device	Weigh Wagon/Pads		Corn Borer	Severe	Mod.	Low	None									
Irrigation Type			Planting Date	5/8/2008			Corn Rootworm												
Previous Crop	Soybean		Harvest Date	10/14/2008			CE/WBC/FA												
Planting Rate	32,000		Soil Applied Ins.				SCN												
Tillage	Conventional		Soil Applied Rate				Aphid												
Soil Texture	Medium		Soil pH																
Directions																			
Comments																			
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.											Cooperator Signature								
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows											Do Not Include in Analysis		-----Corn-----				--Sorghum--		
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538																	--Soybean--		
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N23K CB/LL	Cruiser 250	2830	24.2	620	30.0	6	211.1	55.1									
2	NK	N23F CB/LL/GT	Cruiser 250	2520	24.4	620	30.0	6	187.5	55.7									
3																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	HUBERT MADER	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN							
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON							
City	LANCASTER	Sales Agent #		GPS Lat								
State/Prov.	ON	Sales Agent	MUNRO	GPS Long								
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent							
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None				
Irrigation Type		Planting Date	5/6/2008		Corn Rootworm							
Previous Crop		Harvest Date	11/5/2008			CE/WBC/FA						
Planting Rate		Soil Applied Ins.					SCN					
Tillage	Conventional	Soil Applied Rate						Aphid				
Soil Texture	Medium	Soil pH										
Directions												
Comments												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N23-F7	Cruiser 250	3494	23.3	460	30.0	12	177.7	53.6									
2	NK	N23F 3000GT	Cruiser 250	3360	22.4	460	30.0	12	172.9	54.2									
3	NK	N25N GT	Cruiser 250	2812	21.2	460	30.0	12	146.9	53.0									
4	NK	N27B CB/LL/RW	Cruiser 250	3496	24.8	460	30.0	12	174.3	49.5									
5	NK	N29-A2	Cruiser 250	3482	25.2	460	30.0	12	172.7	49.9									
6	NK	N29-A5	Cruiser 250	3520	26.9	460	30.0	12	170.6	48.8									
7	NK	N32C CB/LL/RW	Cruiser 250	3530	26.1	460	30.0	12	173.0	48.5									
8	NK	N33-E1	Cruiser 250	3476	25.9	460	30.0	12	170.8	49.0									
9	NK	N33J CT/CB/LL	Cruiser 250	3676	25.0	460	30.0	12	182.8	49.7									
10																			
11																			
12																			
13																			
14																			
15																			
16																			
17																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	KEN MCDONNELL	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	NORTH LANCASTER	Sales Agent #		GPS Lat									
State/Prov.	ON	Sales Agent	MUNRO	GPS Long									
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/17/2008		Corn Rootworm								
Previous Crop	Corn	Harvest Date	11/10/2008			CE/WBC/FA							
Planting Rate	31,000	Soil Applied Ins.					SCN						
Tillage	Conventional	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											

Directions	
Comments	

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	-----Corn-----				--Soybean--				Do Not Include
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	
1	NK	N29-A5	Cruiser 250	2270	20.1	667	30.0	6	165.9	51.2									
2	NK	N29-A2	Cruiser 250	2204	18.8	667	30.0	6	163.7	52.5									
3	Pride	6686	Poncho 250	2086	20.0	667	30.0	6	152.6	54.7									
4	MAIZEX	3860	Poncho 250	2176	19.9	667	30.0	6	159.4	54.0									
5	Pride	6009	Poncho 250	2304	18.5	667	30.0	6	171.8	57.0									
6	Pioneer	38M59	Poncho 250	2398	18.8	667	30.0	6	178.1	55.3									
7	NK	N27B CB/LL/RW	Cruiser 250	2104	19.3	667	30.0	6	155.3	53.6									
8	PICKSEED	2788	Poncho 250	2186	18.8	667	30.0	6	162.4	54.9									
9	Pioneer	38N87	Poncho 250	2234	20.0	667	30.0	6	163.5	54.2									
10	NK	N23F 3000GT	Cruiser 250	1856	18.8	667	30.0	6	137.8	56.0									
11	NK	N23-F7	Cruiser 250	2254	19.4	667	30.0	6	166.2	54.1									
12	Pioneer	38B13	Poncho 250	1970	18.0	667	30.0	6	147.8	56.5									
13	MAIZEX	2722	Poncho 250	1624	18.5	667	30.0	6	121.1	55.0									
14	Pioneer	38H08	Poncho 250	2096	20.5	667	30.0	6	152.4	52.2									
15	MAIZEX	2263	Poncho 250	1990	18.2	667	30.0	6	148.9	55.4									
16																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	PANMURE FARMS C/O HUDSON	Sales Rep #	EST	Trial County	OTTAWA								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	KINBURN	Sales Agent #		GPS Lat	45.3133								
State/Prov.	ON	Sales Agent	SUMMIT	GPS Long	-76.1881								
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/9/2008		Corn Rootworm								
Previous Crop	Soybean	Harvest Date	10/23/2008			CE/WBC/FA							
Planting Rate	31,000	Soil Applied Ins.					SCN						
Tillage	Conventional	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis

-----Corn----- --Sorghum--

--Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N27B CB/LL/RW	Cruiser 250	5975	26.7	1210	36.0	6	184.0	53.7									
2	NK	N27-W8	Cruiser 250	5845	26.2	1210	36.0	6	181.2	56.0									
3	NK	N23F 3000GT	Cruiser 250	5625	25.5	1210	36.0	6	176.1	56.4									
4	NK	N23-F7	Cruiser 250	5775	25.3	1210	36.0	6	181.3	55.4									
5	NK	N23K CB/LL	Cruiser 250	5960	25.8	1210	36.0	6	185.8	54.0									
6	NK	NX2457	Cruiser 250	5665	26.5	1210	36.0	6	174.9	53.0									
7	NK	N25N GT/CB/LL	Cruiser 250	5460	25.9	1210	36.0	6	170.0	55.8									
8	Pioneer	38N87	Poncho 250	6055	28.2	1210	36.0	6	182.7	54.6									
9	NK	N27B CB/LL/RW	Cruiser 250	5725	27.0	1210	36.0	6	175.6	52.1									
10	NK	NX2977	Cruiser 250	6065	27.4	1210	36.0	6	185.0	54.8									
11	NK	NX2937	Cruiser 250	5885	27.5	1210	36.0	6	179.3	54.1									
12	DeKalb	DKC 38-31	Poncho 250	5825	25.6	1210	36.0	6	182.1	56.0									
13	NK	N29-A5	Cruiser 250	5740	28.0	1210	36.0	6	173.6	52.3									
14	NK	N29T CB/LL	Cruiser 250	5885	25.5	1210	36.0	6	184.2	53.4									
15	NK	N27B CB/LL/RW	Cruiser 250	5815	26.7	1210	36.0	6	179.1	53.0									
16																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	STEVE SANDERS						Sales Rep #	EST				Trial County	STORMONT DUNDAS AND GLEN										
Address							Sales Rep	JEREMY NIXON				Trial State/Prov.	ON										
City	BERWICK						Sales Agent #					GPS Lat	45.1399										
State/Prov.	ON						Sales Agent	JAMIESON CAMPBELL				GPS Long	-75.1416										
Cooperator Postal Code							Retail Account					Harvested By	Dealer/Sales Agent										
Water Mgmt.	None						Weighing Device	Weigh Wagon/Pads				Corn Borer	Severe	Mod.	Low	None							
Irrigation Type							Planting Date	4/25/2008					Corn Rootworm										
Previous Crop	Wheat						Harvest Date	10/31/2008						CE/WBC/FA									
Planting Rate	30,000						Soil Applied Ins.								SCN								
Tillage	Conventional						Soil Applied Rate									Aphid							
Soil Texture	Medium						Soil pH																
Directions																							
Comments																							
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.											Cooperator Signature												
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538											Do Not Include in Analysis						-----Corn-----				--Sorghum--		
															--Soybean--								
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include				
1	Pioneer	38N87	Poncho 250	2860	21.4	396	30.0	12	173.2	54.0													
2	NK	N29T CB/LL	Cruiser 250	2900	20.8	396	30.0	12	176.9	52.5													
3	NK	N29-A5	Cruiser 250	2635	23.8	396	30.0	12	154.7	52.5													
4	NK	N29-A2	Cruiser 250	3165	22.2	396	30.0	12	189.7	53.0													
5	NK	N27B GT/CB/LL	Cruiser 250	3020	21.8	396	30.0	12	181.9	54.0													
6	NK	N25N GT/CB/LL	Cruiser 250	2875	20.8	396	30.0	12	175.4	56.5													
7	NK	N23F 3000GT	Cruiser 250	3050	21.4	396	30.0	12	184.7	55.5													
8	NK	N29-A5	Cruiser 250	2940	23.8	396	30.0	12	172.6	52.0													
9	Hyland	HLB 38R	Poncho 250	3065	22.4	396	30.0	12	183.2	53.0													
10	Hyland	HLB 34R	Poncho 250	2555	20.4	396	30.0	12	156.7	56.5													
11	Hyland	HLB 280	Poncho 250	2685	24.0	396	30.0	12	157.2	55.5													
12	Hyland	HLB 282	Poncho 250	2895	21.4	396	30.0	12	175.3	54.0													
13	Hyland	HLR 238	Poncho 250	3000	22.0	396	30.0	12	180.3	54.0													
14																							



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	KELLY SHARPE	Sales Rep #	EST	Trial County	NORTHUMBERLAND							
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON							
City	BRIGHTON	Sales Agent #		GPS Lat								
State/Prov.	ON	Sales Agent	TRI COUNTY	GPS Long								
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent							
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None				
Irrigation Type		Planting Date	5/20/2008		Corn Rootworm							
Previous Crop	Alfalfa	Harvest Date	11/12/2008			CE/WBC/FA						
Planting Rate		Soil Applied Ins.					SCN					
Tillage	Conventional	Soil Applied Rate						Aphid				
Soil Texture	Medium	Soil pH										
Directions												
Comments												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Do Not Include in Analysis				-----Corn-----		--Soybean--		--Sorghum--	
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N23-F9	Cruiser 250	5020	20.3	1070	36.0	8	142.6	56.2										
2	NK	N23F 3000GT	Cruiser 250	6250	21.0	1070	36.0	8	176.0	58.0										
3	NK	N16M GT/CB/LL	Cruiser 250	6070	19.2	1070	36.0	8	174.8	57.4										
4	DeKalb	DKC 38-31	Poncho 250	7080	20.8	1070	36.0	8	199.8	57.6										
5	Hyland	B266	Poncho 250	6680	22.4	1070	36.0	8	184.7	56.2										
6	NK	N27B CB/LL/RW	Cruiser 250	7230	20.8	1070	36.0	8	204.1	58.8										
7	NK	N23-F9	Cruiser 250	6140	21.0	1070	36.0	8	172.9	57.1										
8																				



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	PETER & BRUCE STEWART	Sales Rep #	EST	Trial County	NORTHUMBERLAND								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	BRIGHTON	Sales Agent #		GPS Lat	44.1088								
State/Prov.	ON	Sales Agent	TRI COUNTY	GPS Long	-77.7425								
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/1/2008		Corn Rootworm								
Previous Crop	Alfalfa	Harvest Date	11/11/2008			CE/WBC/FA							
Planting Rate		Soil Applied Ins.					SCN						
Tillage	No-Till	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Do Not Include in Analysis		-----Corn-----		--Soybean--		--Sorghum--		Do Not Include
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	
1	NK	NX3567	Cruiser 250	7490	28.6	1081	30.0	12	150.9	55.0									
2	NK	N34F GT	Cruiser 250	8370	27.8	1130	30.0	12	163.1	54.3									
3	NK	N33J CB/LL	Cruiser 250	8080	24.8	1130	30.0	12	164.0	55.9									
4	NK	N27B CB/LL/RW	Cruiser 250	8020	23.2	1130	30.0	12	166.3	56.1									
5	NK	N41C 3000GT	Cruiser 250	8310	26.8	1130	30.0	12	164.2	54.5									
6	NK	NX3447	Cruiser 250	8340	24.6	1130	30.0	12	169.8	55.3									
7	Pioneer	38M58	Poncho 250	8130	27.0	1130	30.0	12	160.2	55.7									
8	NK	N29T CB/LL	Cruiser 250	8580	23.2	1130	30.0	12	177.9	55.3									
9	NK	N29-A5	Cruiser 250	8050	26.4	1130	30.0	12	159.9	52.1									
10	NK	N33-E1	Cruiser 250	7880	27.4	1130	30.0	12	154.4	53.1									
11	NK	N27-W8	Cruiser 250	7380	24.6	1130	30.0	12	150.2	56.4									
12	NK	NX2977	Cruiser 250	7910	23.2	1130	30.0	12	164.0	58.2									
13	NK	N27B CB/LL/RW	Cruiser 250	8540	24.2	1130	30.0	12	174.7	55.3									
14																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	BLAKE VERMILYEA						Sales Rep #	EST				Trial County	LENNOX AND ADDINGTON								
Address							Sales Rep	JEREMY NIXON				Trial State/Prov.	ON								
City	NAPANNEE						Sales Agent #					GPS Lat	44.2238								
State/Prov.	ON						Sales Agent	O'NEIL FAM SUPPLY				GPS Long	-76.8445								
Cooperator Postal Code							Retail Account					Harvested By	AA/Sales Rep								
Water Mgmt.	None						Weighing Device	Weigh Wagon/Pads				Corn Borer	Severe	Mod.	Low	None					
Irrigation Type							Planting Date	4/22/2008					Corn Rootworm								
Previous Crop	Alfalfa						Harvest Date	10/24/2008						CE/WBC/FA							
Planting Rate							Soil Applied Ins.								SCN						
Tillage	No-Till						Soil Applied Rate									Aphid					
Soil Texture	Fine						Soil pH														
Directions																					
Comments																					
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.										X	Cooperator Signature		Signature on File								
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows										Do Not Include in Analysis		-----Corn-----						--Sorghum--			
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538																		--Soybean--			
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging		Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N45-A5	Cruiser 250	11615	25.0	1185	30.0	12	224.2	53.5											
2	NK	N43-C4	Cruiser 250	5410	23.0	1185	30.0	6	214.5	55.5											
3	NK	N41C-3000GT	Cruiser 250	4950	24.0	1185	30.0	6	193.7	52.5											
4	NK	NX4137	Cruiser 250	5325	23.5	1185	30.0	6	209.7	52.5											
5	NK	NX4357	Cruiser 250	5345	24.5	1185	30.0	6	207.8	51.5											
6	NK	N45A-GT	Cruiser 250	5240	24.2	1185	30.0	6	204.5	53.5											
7	NK	N45-A5	Cruiser 250	5380	25.0	1185	30.0	6	207.7	53.6											
8	NK	N45A GT/CB/LL	Cruiser 250	5530	25.7	1185	30.0	6	211.5	52.6											
9	Pioneer	37Y11	Poncho 250	4600	22.0	1185	30.0	6	184.7	55.5											
10	NK	N29-A5	Cruiser 250	5100	22.0	1185	30.0	6	204.8	52.5											
11	Pioneer	38M60	Poncho 250	4750	21.0	1185	30.0	6	193.2	57.0											
12	NK	N29T CB/LL	Cruiser 250	5085	20.0	1185	30.0	6	209.4	56.6											
13	NK	N27B CB/LL/RW	Cruiser 250	4775	20.8	1185	30.0	6	194.7	52.6											
14																					
15																					



iYield Harvest Outline

Crop Corn

Type of Plot Agronomy

Plot ID

BU: NK Canada

Cooperator	BLAKE VERMILYEA	Sales Rep #	EST	Trial County	LENNOX AND ADDINGTON														
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON														
City	NAPANNEE	Sales Agent #		GPS Lat	44.2238														
State/Prov.	ON	Sales Agent	O'NEIL FAM SUPPLY	GPS Long	-76.8445														
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep														
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None											
Irrigation Type		Planting Date	4/22/2008		Corn Rootworm														
Previous Crop	Alfalfa	Harvest Date	10/24/2008		CE/WBC/FA														
Planting Rate		Soil Applied Ins.			SCN														
Tillage	No-Till	Soil Applied Rate			Aphid														
Soil Texture	Fine	Soil pH																	
Directions																			
Comments	ENTRY #2&3 TREATED WITH HEADLINE. VERY VISABLE DIFFERENCE IN TRIAL																		
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.										X	Cooperator Signature		Signature on File						
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows										Do Not Include in Analysis		-----Corn-----			--Sorghum--				
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538															--Soybean--				
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N27B CB/LL/RW	Cruiser 250	4775	20.8	1185	30.0	6	194.7	52.5									
2	NK	N27B CB/LL/RW	Cruiser 250	4860	20.6	1185	30.0	6	198.7	55.0									
3	NK	N41C 3000GT	Cruiser 250	5030	23.6	1185	30.0	6	197.8	53.5									
4	NK	N41C 3000GT	Cruiser 250	4990	23.8	1185	30.0	6	195.8	54.0									
5																			
6																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	GEORGE WEBSTER	Sales Rep #	EST	Trial County	LEEDS AND GRENVILLE								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	LANSLOWNE	Sales Agent #		GPS Lat	44.4708								
State/Prov.	ON	Sales Agent	GARY CURTUS	GPS Long	-75.9976								
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/15/2008		Corn Rootworm								
Previous Crop	Soybean	Harvest Date	11/21/2008			CE/WBC/FA							
Planting Rate		Soil Applied Ins.					SCN						
Tillage	No-Till	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Do Not Include in Analysis				-----Corn-----		--Soybean--		--Sorghum--	
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N27B CB/LL/RW	Cruiser 250	3160	21.5	700	30.0	8	162.1	52.0										
2	NK	N29T CB/LL	Cruiser 250	3350	21.5	700	30.0	8	171.9	52.0										
3	NK	NX3297	Cruiser 250	2860	24.5	680	30.0	8	145.3	50.0										
4	NK	NX2977	Cruiser 250	3180	24.5	700	30.0	8	156.9	52.6										
5	NK	NX2937	Cruiser 250	2925	23.0	700	30.0	8	147.2	51.0										
6	NK	N29-A5	Cruiser 250	3020	22.5	700	30.0	8	153.0	49.0										
7	NK	NX3887	Cruiser 250	2650	24.5	700	30.0	8	130.8	46.5										
8	NK	N32C CB/LL/RW	Cruiser 250	3245	21.5	700	30.0	8	166.5	48.0										
9	NK	N27B CB/LL/RW	Cruiser 250	3060	21.0	700	30.0	8	158.0	52.0										
10	NK	N27B GT/CB/LL	Cruiser 250	2735	22.3	680	30.0	8	143.0	52.0										
11	Pioneer	38H08	Poncho 250	3390	22.7	700	30.0	8	171.3	52.0										
12	NK	N23F 3000GT	Cruiser 250	2860	22.1	700	30.0	8	145.6	54.1										
13	NK	N23-F7	Cruiser 250	2940	21.4	700	30.0	8	151.1	54.1										
14	NK	N23K CB/LL	Cruiser 250	3140	21.6	670	30.0	8	168.1	53.4										
15	NK	NX2457	Cruiser 250	2925	22.7	700	30.0	8	147.8	53.5										
16	NK	N25N GT/CB/LL	Cruiser 250	2890	22.0	700	30.0	8	147.3	54.1										
17	NK	N27-W8	Cruiser 250	3040	23.4	700	30.0	8	152.2	52.7										

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	NK	N27B CB/LL/RW	Cruiser 250	2985	22.4	700	30.0	8	151.4	52.0									
19																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	MURRAY WILSON	Sales Rep #	EST	Trial County	PRESCOTT AND RUSSELL														
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON														
City	RICEVILLE	Sales Agent #		GPS Lat															
State/Prov.	ON	Sales Agent	MACEWENS	GPS Long															
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent														
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None											
Irrigation Type		Planting Date	5/13/2008		Corn Rootworm														
Previous Crop		Harvest Date	10/31/2008		CE/WBC/FA														
Planting Rate		Soil Applied Ins.			SCN														
Tillage		Soil Applied Rate			Aphid														
Soil Texture		Soil pH																	
Directions																			
Comments																			
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.										X	Cooperator Signature		Signature on File						
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows										Do Not Include in Analysis		-----Corn-----			--Sorghum--				
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538															--Soybean--				
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	Pioneer	39D82	Poncho 250	5190	23.3	1613	30.0	6	150.6	51.5									
2	Pride	5362BT	Poncho 250	3660	22.9	1613	30.0	6	106.7	51.0									
3	NK	N23F 3000GT	Cruiser 250	4210	23.2	1613	30.0	6	122.3	52.6									
4	NK	N27B CB/LL/RW	Cruiser 250	4340	24.8	1595	30.0	6	124.8	51.9									
5	NK	N16-M1	Cruiser 250	4780	22.5	1613	30.0	6	140.1	56.4									
6	NK	N23-F7	Cruiser 250	5080	22.9	1603	30.0	6	149.1	55.7									
7	NK	N25N GT/CB/LL	Cruiser 250	5220	23.3	1613	30.0	6	151.4	53.5									
8	Pride	SILOBLEND	Other	4900	22.6	1613	30.0	6	143.4	52.6									
9																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	WOERLEN FARMS LTD	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN															
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON															
City	WINCHESTER	Sales Agent #		GPS Lat																
State/Prov.	ON	Sales Agent	MACEWNS	GPS Long																
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent															
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None												
Irrigation Type		Planting Date			Corn Rootworm															
Previous Crop		Harvest Date	11/5/2008			CE/WBC/FA														
Planting Rate		Soil Applied Ins.					SCN													
Tillage		Soil Applied Rate						Aphid												
Soil Texture		Soil pH																		
Directions																				
Comments																				
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.										X	Cooperator Signature		Signature on File							
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows										Do Not Include in Analysis		-----Corn-----			--Sorghum--					
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538															--Soybean--					
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N27-C7	Cruiser 250	5560	18.9	1160	30.0	8	177.9	58.5										
2	NK	N27-C7	Cruiser 250	5620	19.0	1160	30.0	8	179.6	57.8										
3	NK	N27B CB/LL/RW	Cruiser 250	5580	19.6	1160	30.0	8	177.0	55.3										
4	NK	N27B CB/LL/RW	Cruiser 250	5310	19.5	1160	30.0	8	168.6	55.4										
5	Pioneer	38M58	Poncho 250	5380	20.3	1160	30.0	8	169.1	55.8										
6	Pioneer	38M58	Poncho 250	5580	19.9	1160	30.0	8	176.3	58.6										
7																				



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	DAVID ZUMMACH		Sales Rep #	EST		Trial County	STORMONT DUNDAS AND GLEN												
Address			Sales Rep	JEREMY NIXON		Trial State/Prov.	ON												
City	LUNENBURG		Sales Agent #			GPS Lat													
State/Prov.	ON		Sales Agent	JAMIESON CAMPBELL		GPS Long													
Cooperator Postal Code			Retail Account			Harvested By	Dealer/Sales Agent												
Water Mgmt.	None		Weighing Device	Weigh Wagon/Pads		Corn Borer	Severe	Mod.	Low	None									
Irrigation Type			Planting Date	4/26/2008			Corn Rootworm												
Previous Crop	Corn		Harvest Date	11/5/2008			CE/WBC/FA												
Planting Rate	30,000		Soil Applied Ins.				SCN												
Tillage			Soil Applied Rate				Aphid												
Soil Texture			Soil pH																
Directions																			
Comments																			
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.										X	Cooperator Signature		Signature on File						
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows										Do Not Include in Analysis		-----Corn-----		--Sorghum--					
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538														--Soybean--					
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	Pioneer	38B13	Poncho 250	3530	21.7	560	30.0	12	150.6	55.6									
2	Pioneer	38H08	Poncho 1250	3695	20.8	560	30.0	12	159.4	53.3									
3	Pioneer	38N87	Poncho 250	3725	21.6	560	30.0	12	159.1	54.8									
4	Pioneer	38M58	Cruiser 1250	3930	21.5	560	30.0	12	168.0	55.6									
5	NK	N27B CB/LL/RW	Cruiser 250	3965	22.2	560	30.0	12	168.0	54.8									
6	Pioneer	38A57	Poncho 250	3885	22.5	560	30.0	12	164.0	56.4									
7	NK	N29-A2	Cruiser 250	3915	21.7	560	30.0	12	167.0	54.1									
8	Pioneer	37Y14	Poncho 250	3890	24.2	560	30.0	12	160.6	53.3									
9	NK	N23F 3000GT	Cruiser 250	3730	21.2	560	30.0	12	160.1	57.7									
10	NK	N29-A5	Cruiser 250	3725	23.5	560	30.0	12	155.2	53.3									
11	NK	N25N GT/CB/LL	Cruiser 250	3710	21.0	560	30.0	12	159.7	56.4									
12	NK	N29-G7	Cruiser 250	3745	22.5	560	30.0	12	158.1	54.8									
13	Pride	A6094G3	Poncho 250	3790	22.0	560	30.0	12	161.0	56.4									
14	Pride	A6009BT	Poncho 250	3820	22.5	560	30.0	12	161.3	54.1									
15																			