



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	HANS BOEKHOFF	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	GLEN ROBERTSON	Sales Agent #		GPS Lat									
State/Prov.	ON	Sales Agent	MACEWEN	GPS Long									
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/9/2008		Corn Rootworm								
Previous Crop	Alfalfa	Harvest Date	10/23/2008			CE/WBC/FA							
Planting Rate	31,000	Soil Applied Ins.					SCN						
Tillage	Conventional	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Do Not Include in Analysis				-----Corn-----		--Soybean--		Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging						
1	NK	N23-F7	Cruiser 250	2130	23.0	533	30.0	6	187.7	53.4												
2	NK	N3030Bt	Cruiser 250	2050	24.1	538	30.0	6	176.4	54.1												
3	Pioneer	38N87	Poncho 250	2130	27.1	538	30.0	6	176.1	53.4												
4	NK	N27B CB/LL/RW	Cruiser 250	2000	24.2	538	30.0	6	171.9	52.0												
5	PICKSEED	2788VT3	Poncho 250	1830	23.2	538	30.0	6	159.4	52.6												
6	Pioneer	38N60	Poncho 250	1960	22.2	538	30.0	6	172.9	53.4												
7	NK	N27-W8	Cruiser 250	2030	22.6	538	30.0	6	178.2	54.1												
8	NK	N23F 3000GT	Cruiser 250	1970	21.6	538	30.0	6	175.1	54.9												
9	NK	N25N GT/CB/LL	Cruiser 250	1880	20.2	538	30.0	6	170.1	54.1												
10	NK	N29T CB/LL	Cruiser 250	2120	23.2	538	30.0	6	184.6	53.4												
11																						
12																						
13																						



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	DAVE BRYAN	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	WINCHESTER	Sales Agent #		GPS Lat									
State/Prov.	ON	Sales Agent	SUMMIT	GPS Long									
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/2/2008		Corn Rootworm								
Previous Crop	Soybean	Harvest Date	11/5/2008			CE/WBC/FA							
Planting Rate		Soil Applied Ins.					SCN						
Tillage	No-Till	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum--

--Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N25-J7	Cruiser 250	8265	20.5	1760	30.0	8	170.8	58.0	31								
2	NK	N27B CB/LL/RW	Cruiser 250	8710	20.5	1764	30.0	8	179.6	53.4									
3	NK	N23-F9	Cruiser 250	8925	21.0	1767	30.0	8	182.6	56.5									
4	NK	N23-F7	Cruiser 250	8845	20.6	1770	30.0	8	181.5	57.0									
5	NK	N23F 3000GT	Cruiser 250	8710	20.6	1773	30.0	8	178.5	57.2									
6	Pioneer	38N87	Poncho 250	8820	21.4	1776	30.0	8	178.6	57.2									
7	NK	N25N GT/CB/LL	Cruiser 250	7580	20.2	1779	30.0	8	155.6	57.0									
8	NK	N27B CB/LL/RW	Cruiser 250	8960	20.5	1782	30.0	8	182.9	53.0									
9	NK	N27-W8	Cruiser 250	8650	20.4	1785	30.0	8	176.5	55.7									
10	NK	N29-A5	Cruiser 250	8880	21.2	1788	30.0	8	179.1	51.0									
11	NK	N29T CB/LL	Cruiser 250	8575	20.0	1791	30.0	8	175.3	53.0									
12	NK	NX2977	Cruiser 250	9065	21.4	1794	30.0	8	181.7	54.5									
13	NK	NX2457	Cruiser 250	8560	20.4	1797	30.0	8	173.5	54.1									
14	NK	N27B CB/LL/RW	Cruiser 250	9200	20.3	1800	30.0	8	186.4	53.4									
15	Pioneer	38M58	Poncho 250	9075	20.3	1750	30.0	8	189.1	57.8									
16	NK	N25-J7	Cruiser 250	8410	20.2	1750	30.0	8	175.5	58.5									
17																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	ALLAN DEVIRES	Sales Rep #	EST	Trial County	Stormont Dundas and Glengarry			
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON			
City	WINCHESTER	Sales Agent #		GPS Lat	44.9821			
State/Prov.	ON	Sales Agent	SUMMIT	GPS Long	-75.3537			
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep			
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None
Irrigation Type		Planting Date	4/23/2008			X		
Previous Crop	Wheat	Harvest Date	10/14/2008		Corn Rootworm			
Planting Rate	30,000	Soil Applied Ins.			CE/WBC/FA			
Tillage	Conventional	Soil Applied Rate			SCN			
Soil Texture	Medium	Soil pH	Neutral		Aphid			
Directions								
Comments								

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	-----Corn-----		--Soybean--		Do Not Include
															Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	
1	NK	N33-E1	Cruiser 250	3240	25.0	1140	30.0	4	195.1	53.4	80								
2	NK	N34-F1	Cruiser 250	3450	28.2	1140	30.0	4	198.8	50.0	79								
3	NK	NX3447	Cruiser 250	3490	28.2	1140	30.0	4	201.2	55.7	83								
4	NK	NX3567	Cruiser 250	3505	34.5	1140	30.0	4	184.3	48.0	75								
5	NK	N34F-GT	Cruiser 250	3360	27.0	1140	30.0	4	196.9	51.0	79								
6	NK	NX3887	Cruiser 250	3075	26.2	1140	30.0	4	182.2	49.0	78								
7	NK	N33J-GT/CB/LL	Cruiser 250	3390	27.0	1140	30.0	4	198.7	54.2	80								
8	NK	N29-A5	Cruiser 250	3420	27.8	1140	30.0	4	198.2	52.0	83								
9	Pioneer	38M58	Cruiser 250	3130	24.2	1140	30.0	4	190.5	55.5	82								
10	NK	N29T-CB/LL	Cruiser 250	3460	22.4	1140	30.0	4	215.5	54.0	82								
11	NK	N27B-CB/LL/RW	Cruiser 250	3420	24.0	1140	30.0	4	208.6	55.0	74								
12	NK	NX2977	Cruiser 250	3350	23.6	1140	30.0	4	205.5	55.0	86								
13	NK	N33-E1	Cruiser 250	3590	28.6	1140	30.0	4	205.8	52.6	90								
14																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	DALE DINGWALL	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN							
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON							
City	FINCH	Sales Agent #		GPS Lat								
State/Prov.	ON	Sales Agent	MACEWEN	GPS Long								
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent							
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None				
Irrigation Type		Planting Date	5/1/2008		Corn Rootworm							
Previous Crop	Wheat	Harvest Date	11/1/2008			CE/WBC/FA						
Planting Rate		Soil Applied Ins.					SCN					
Tillage	Conventional	Soil Applied Rate						Aphid				
Soil Texture	Medium	Soil pH										
Directions												
Comments												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	MAIZEX	MZ310	Poncho 250	2060	19.8	741	30.0	6	136.0	54.9									X
2	MAIZEX	3888BT	Poncho 250	3440	20.0	440	30.0	12	190.8	56.4									
3	MAIZEX	3055BT	Poncho 250	3510	19.0	440	30.0	12	197.1	57.0									
4	NK	N25N GT/CB/LL	Cruiser 250	3470	19.0	440	30.0	12	194.9	57.2									
5	NK	N27B CB/LL/RW	Cruiser 250	3720	20.2	440	30.0	12	205.8	54.6									
6	NK	N29T CB/LL	Cruiser 250	3770	19.5	440	30.0	12	210.4	54.9									
7	NK	N29-A2	Cruiser 250	3430	19.7	440	30.0	12	190.9	54.7									
8	NK	N23F 3000GT	Cruiser 250	3650	20.0	440	30.0	12	202.4	56.4									
9																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	DONEVELYN FARMS	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN			
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON			
City	WINCHESTER	Sales Agent #		GPS Lat	45.1890			
State/Prov.	ON	Sales Agent	SUMMIT	GPS Long	-75.3844			
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep			
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None
Irrigation Type		Planting Date	5/9/2008			X		
Previous Crop	Soybean	Harvest Date	10/20/2008		Corn Rootworm			
Planting Rate	31,000	Soil Applied Ins.			CE/WBC/FA			
Tillage	Minimum	Soil Applied Rate			SCN			
Soil Texture	Medium	Soil pH			Aphid			
Directions								
Comments								

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum--

--Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	DeKalb	DKC43-65	Poncho 250	4550	22.3	1245	30.0	6	173.2	53.7									
2	NK	N27B CB/LL/RW	Cruiser 250	9140	21.0	1245	30.0	12	176.9	56.4									
3	NK	N33-E1	Cruiser 250	9090	24.1	1245	30.0	12	169.0	53.8									
4	NK	N32C CB/LL/RW	Cruiser 250	9800	24.9	1245	30.0	12	180.3	53.4									
5	NK	NX3297	Cruiser 250	8740	26.0	1245	30.0	12	158.5	54.1									
6	NK	N29T CB/LL	Cruiser 250	9340	20.7	1245	30.0	12	181.5	55.3									
7	NK	NX2937	Cruiser 250	8680	21.1	1245	30.0	12	167.8	55.7									
8	NK	N29-A5	Cruiser 250	9240	24.9	1245	30.0	12	170.0	53.6									
9	NK	N29-A2	Cruiser 250	4780	22.5	1245	30.0	6	181.5	54.9									
10	NK	NX2977	Cruiser 250	4790	23.0	1245	30.0	6	180.7	57.3									
11	NK	N27B CB/LL/RW	Cruiser 250	9350	22.1	1245	30.0	12	178.5	55.7									
12	Pioneer	38N87	Poncho 250	9280	23.9	1245	30.0	12	173.0	55.3									
13	NK	N27-W8	Cruiser 250	9090	20.5	1245	30.0	12	177.1	58.3									
14	NK	N25N GT/CB/LL	Cruiser 250	8660	20.4	1245	30.0	12	168.9	59.8									
15	NK	NX2457	Cruiser 250	8820	21.0	1245	30.0	12	170.7	58.0									
16	NK	NX2556	Cruiser 250	9400	20.9	1245	30.0	12	182.2	57.6									
17	NK	N23F-3000GT	Cruiser 250	8790	21.3	1245	30.0	12	169.5	59.5									

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	NK	N23-F7	Cruiser 250	9310	20.9	1245	30.0	12	180.4	59.2									
19	NK	N27B CB/LL/RW	Cruiser 250	9500	21.7	1245	30.0	12	182.3	56.4									
20	NK	N23-F9	Cruiser 250	9130	21.7	1245	30.0	12	175.2	59.5									
21																			



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	JOHN FERGUSON		Sales Rep #	EST		Trial County	STORMONT DUNDAS AND GLEN												
Address			Sales Rep	JEREMY NIXON		Trial State/Prov.	ON												
City	LANCASTER		Sales Agent #			GPS Lat	45.1929												
State/Prov.	ON		Sales Agent	MUNRO		GPS Long	-74.5265												
Cooperator Postal Code			Retail Account			Harvested By	Dealer/Sales Agent												
Water Mgmt.	None		Weighing Device	Weigh Wagon/Pads		Corn Borer	Severe	Mod.	Low	None									
Irrigation Type			Planting Date	5/17/2008			Corn Rootworm												
Previous Crop	Wheat		Harvest Date	11/10/2008				CE/WBC/FA											
Planting Rate	31,000		Soil Applied Ins.						SCN										
Tillage	Conventional		Soil Applied Rate							Aphid									
Soil Texture	Medium		Soil pH																
Directions																			
Comments	N29T CB/LL IS SEVERLY LODGED.																		
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.											X	Cooperator Signature		Signature on File					
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows							Do Not Include in Analysis				-----Corn-----			--Sorghum--					
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538												--Soybean--							
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N27B CB/LL/RW	Cruiser 250	2640	26.2	514	30.0	12	115.6	48.3									
2	NK	N29T CB/LL	Cruiser 250	2978	28.9	514	30.0	12	125.7	45.7									
3	NK	N29-A5	Cruiser 250	2820	30.5	514	30.0	12	116.3	46.8									
4	NK	NX2937	Cruiser 250	3098	29.7	514	30.0	12	129.3	47.1									
5	NK	N27-W8	Cruiser 250	3146	26.2	514	30.0	12	137.8	51.4									
6	NK	NX3297	Cruiser 250	3070	31.0	514	30.0	12	125.7	46.8									
7	NK	N33-E1	Cruiser 250	3012	27.7	514	30.0	12	129.2	47.1									
8	NK	NX3345	Cruiser 250	3288	32.9	514	30.0	12	130.9	45.7									
9	NK	N27B CB/LL/RW	Cruiser 250	3010	26.0	514	30.0	12	132.2	48.3									
10	NK	N23F 3000GT	Cruiser 250	2928	25.0	514	30.0	12	130.3	50.6									
11	NK	N23K CB/LL	Cruiser 250	3190	26.0	514	30.0	12	140.1	50.8									
12	NK	N25N GT/CB/LL	Cruiser 250	3096	26.0	514	30.0	12	136.0	51.1									
13	Pioneer	38H08	Poncho 250	3274	25.8	514	30.0	12	144.2	47.9									
14	NK	N27B CB/LL/RW	Cruiser 250	3332	26.1	514	30.0	12	146.1	49.1									
15																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	FOURNEYVIEW FARMS	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN															
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON															
City	LANCASTER	Sales Agent #		GPS Lat																
State/Prov.	ON	Sales Agent	MUNRO	GPS Long																
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent															
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None												
Irrigation Type		Planting Date	5/10/2008		Corn Rootworm															
Previous Crop	Corn	Harvest Date	11/5/2008			CE/WBC/FA														
Planting Rate	31,000	Soil Applied Ins.					SCN													
Tillage	Conventional	Soil Applied Rate						Aphid												
Soil Texture	Medium	Soil pH																		
Directions																				
Comments																				
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.										X	Cooperator Signature		Signature on File							
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows										Do Not Include in Analysis		-----Corn-----			--Sorghum--					
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538															--Soybean--					
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N23F 3000GT	Cruiser 250	3196	21.8	841	30.0	6	181.3	55.0										
2	Croplan	2340 RN	Poncho 250	2804	21.7	841	30.0	6	159.3	54.7										
3	Croplan	314VT3	Poncho 250	3052	21.5	841	30.0	6	173.8	54.0										
4	NK	N27B CB/LL/RW	Cruiser 250	3260	21.9	841	30.0	6	184.7	51.0										
5	NK	N29-A5	Cruiser 250	3274	24.7	841	30.0	6	178.8	48.1										
6	NK	N29-A2	Cruiser 250	3156	23.7	841	30.0	6	174.7	49.4										
7																				



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	MARKUS HEARLE	Sales Rep #	EST	Trial County	PRESCOTT AND RUSSEL								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	ST ISIDORE	Sales Agent #		GPS Lat									
State/Prov.	ON	Sales Agent	MACEWENS	GPS Long									
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/7/2008		Corn Rootworm								
Previous Crop	Corn	Harvest Date	11/11/2008			CE/WBC/FA							
Planting Rate		Soil Applied Ins.					SCN						
Tillage		Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Do Not Include in Analysis				-----Corn-----		--Soybean--		Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
											Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging						
1	Mycogen	2K154	Poncho 250	2448	20.0	746	30.0	6	160.2	55.1												
2	NK	N16-M1	Cruiser 250	2415	20.5	742	30.0	6	157.9	54.0												
3	Mycogen	2P174	Poncho 250	2510	19.9	738	30.0	6	166.2	54.3												
4	ELITE	25T29VT3	Poncho 250	2430	19.8	734	30.0	6	162.0	55.2												
5	Pioneer	39B23	Poncho 250	2606	23.7	738	30.0	6	164.4	55.0												
6	NK	N23K CB/LL	Cruiser 250	2040	23.5	742	30.0	6	128.3	54.4												
7	Pioneer	38B13	Poncho 250	2687	24.2	746	30.0	6	166.6	52.4												
8	NK	N23F 3000GT	Cruiser 250	2495	23.6	754	30.0	6	154.2	55.4												
9	Pioneer	38N85	Poncho 250	2638	23.5	763	30.0	6	161.4	54.8												
10	ELITE	25T19RR	Poncho 250	2540	22.9	761	30.0	6	157.0	55.3												
11	NK	N27-W8	Cruiser 250	2654	23.8	759	30.0	6	162.6	55.0												
12	Pioneer	38N87	Poncho 250	2640	24.0	758	30.0	6	161.5	54.6												
13	NK	N25N GT/CB/LL	Cruiser 250	2458	23.8	756	30.0	6	151.1	55.4												
14	Pioneer	38H08	Poncho 250	2590	24.6	756	30.0	6	157.6	52.3												
15	NK	N27B CB/LL/RW	Cruiser 250	2666	24.2	753	30.0	6	163.7	52.1												
16	Pioneer	38M58	Poncho 250	2535	23.8	751	30.0	6	156.9	56.2												
17	Mycogen	2D326	Poncho 250	2588	24.9	749	30.0	6	158.3	53.0												

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	NK	N29T CB/LL	Cruiser 250	2725	24.0	747	30.0	6	169.1	51.8									
19	Pioneer	38P43	Poncho 250	2602	24.8	746	30.0	6	160.0	56.5									
20	ELITE	15W19	Poncho 250	2570	24.6	744	30.0	6	158.9	54.1									
21	Mycogen	2R426	Poncho 250	2568	24.8	742	30.0	6	158.8	53.5									
22	Pioneer	37Y13	Poncho 250	2710	26.6	739	30.0	6	164.2	51.9									
23	ELITE	44S22RR	Poncho 250	2612	24.6	741	30.0	6	162.1	53.4									
24	Pioneer	38M58	Poncho 250	2630	23.6	741	30.0	6	165.4	54.6									
25	NK	N27B CB/LL/RW	Cruiser 250	2694	24.6	741	30.0	6	167.2	52.1									
26																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	KERRYDALE	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN															
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON															
City	LANCASTER	Sales Agent #		GPS Lat																
State/Prov.	ON	Sales Agent	MUNRO	GPS Long																
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent															
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None												
Irrigation Type		Planting Date			Corn Rootworm															
Previous Crop		Harvest Date	10/24/2008			CE/WBC/FA														
Planting Rate		Soil Applied Ins.					SCN													
Tillage	Conventional	Soil Applied Rate						Aphid												
Soil Texture	Medium	Soil pH																		
Directions																				
Comments	YIELD CHECK																			
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.										X	Cooperator Signature		Signature on File							
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows										Do Not Include in Analysis		-----Corn-----			--Sorghum--					
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538															--Soybean--					
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N3030BT	Cruiser 250	2106	22.3	501	30.0	6	199.3	53.7									X	
2	NK	N3030BT	Cruiser 250	4142	22.3	501	30.0	12	196.0	54.1										
3	NK	N3030BT	Cruiser 250	2086	22.3	501	30.0	6	197.4	54.0										
4																				



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	ALAIN LEGAULT	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN															
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON															
City	MOOSECREEK	Sales Agent #		GPS Lat	45.2606															
State/Prov.	ON	Sales Agent	MACEWENS	GPS Long	-74.9962															
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent															
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None												
Irrigation Type		Planting Date	5/8/2008		Corn Rootworm															
Previous Crop	Soybean	Harvest Date	10/14/2008		CE/WBC/FA															
Planting Rate	32,000	Soil Applied Ins.			SCN															
Tillage	Conventional	Soil Applied Rate			Aphid															
Soil Texture	Medium	Soil pH																		
Directions																				
Comments																				
Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes.											Cooperator Signature									
Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows											Do Not Include in Analysis		-----Corn-----			--Sorghum--				
Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538																--Soybean--				
#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include	
1	NK	N23K CB/LL	Cruiser 250	2830	24.2	620	30.0	6	211.1	55.1										
2	NK	N23F CB/LL/GT	Cruiser 250	2520	24.4	620	30.0	6	187.5	55.7										
3																				



iYield Harvest Outline

Crop Corn

Type of Plot Experimental

Plot ID

BU: NK Canada

Cooperator	ALAIN LEGAULT	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	MOOSE CREEK	Sales Agent #		GPS Lat	45.3177								
State/Prov.	ON	Sales Agent	MACEWEN	GPS Long	-74.9094								
Cooperator Postal Code		Retail Account		Harvested By	AA/Sales Rep								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	4/26/2008		Corn Rootworm								
Previous Crop	Corn	Harvest Date	11/3/2008			CE/WBC/FA							
Planting Rate	31,000	Soil Applied Ins.					SCN						
Tillage	Conventional	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											
Directions													
Comments	ENTRY #20 HAD NO STARTER FERTILIZER APPLIED.												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. Cooperator Signature

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis

-----Corn----- --Sorghum--

--Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N27B CB/LL/RW	Cruiser 250	2960	22.0	650	30.0	6	216.7	56.0									
2	NK	N27-W8	Cruiser 250	3420	20.5	650	30.0	8	191.4	57.0									
3	NK	N29T CB/LL	Cruiser 250	3820	21.5	650	30.0	8	211.1	54.5									
4	NK	NX2977	Cruiser 250	3500	21.5	650	30.0	8	193.4	57.2									
5	NK	N25N GT/CB/LL	Cruiser 250	3270	20.5	650	30.0	8	183.0	58.4									
6	Pioneer	38N87	Poncho 250	3410	21.5	650	30.0	8	188.4	56.6									
7	NK	NX2457	Cruiser 250	3480	19.8	650	30.0	8	196.5	57.2									
8	DeKalb	DKC38-31	Poncho 250	3310	20.5	650	30.0	8	185.2	59.2									
9	NK	N27B CB/LL/RW	Cruiser 250	3740	22.0	650	30.0	8	205.4	56.2									
10	NK	N29-A2	Cruiser 250	3540	23.6	650	30.0	8	190.4	54.5									
11	NK	N9-A5	Cruiser 250	3680	23.6	650	30.0	8	197.9	54.1									
12	NK	N23F 3000GT	Cruiser 250	3240	20.0	650	30.0	8	182.5	58.8									
13	NK	N23F GT/CB/LL	Cruiser 250	3420	20.0	650	30.0	8	192.6	58.8									
14	NK	N23-F7	Cruiser 250	3580	20.5	650	30.0	8	200.3	57.4									
15	NK	N27B CB/LL/RW	Cruiser 250	3740	22.0	650	30.0	8	205.4	56.2									
16	NK	NX1947	Cruiser 250	3090	19.9	650	30.0	8	174.2	58.7									
17	NK	N16-M1	Cruiser 250	3160	20.5	650	30.0	8	176.8	58.0									

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
18	NK	NX1917	Cruiser 250	3240	20.6	650	30.0	8	181.1	51.5									
19	NK	N27B CB/LL/RW	Cruiser 250	3620	22.0	650	30.0	8	198.8	56.0									
20	NK	N27B CB/LL/RW	Cruiser 250	3380	21.5	650	30.0	8	186.8	56.0									
21																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	HUBERT MADER	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN							
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON							
City	LANCASTER	Sales Agent #		GPS Lat								
State/Prov.	ON	Sales Agent	MUNRO	GPS Long								
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent							
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None				
Irrigation Type		Planting Date	5/6/2008		Corn Rootworm							
Previous Crop		Harvest Date	11/5/2008			CE/WBC/FA						
Planting Rate		Soil Applied Ins.					SCN					
Tillage	Conventional	Soil Applied Rate						Aphid				
Soil Texture	Medium	Soil pH										
Directions												
Comments												

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N23-F7	Cruiser 250	3494	23.3	460	30.0	12	177.7	53.6									
2	NK	N23F 3000GT	Cruiser 250	3360	22.4	460	30.0	12	172.9	54.2									
3	NK	N25N GT	Cruiser 250	2812	21.2	460	30.0	12	146.9	53.0									
4	NK	N27B CB/LL/RW	Cruiser 250	3496	24.8	460	30.0	12	174.3	49.5									
5	NK	N29-A2	Cruiser 250	3482	25.2	460	30.0	12	172.7	49.9									
6	NK	N29-A5	Cruiser 250	3520	26.9	460	30.0	12	170.6	48.8									
7	NK	N32C CB/LL/RW	Cruiser 250	3530	26.1	460	30.0	12	173.0	48.5									
8	NK	N33-E1	Cruiser 250	3476	25.9	460	30.0	12	170.8	49.0									
9	NK	N33J CT/CB/LL	Cruiser 250	3676	25.0	460	30.0	12	182.8	49.7									
10																			
11																			
12																			
13																			
14																			
15																			
16																			
17																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	KEN MCDONNELL	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	NORTH LANCASTER	Sales Agent #		GPS Lat									
State/Prov.	ON	Sales Agent	MUNRO	GPS Long									
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date	5/17/2008		Corn Rootworm								
Previous Crop	Corn	Harvest Date	11/10/2008			CE/WBC/FA							
Planting Rate	31,000	Soil Applied Ins.					SCN						
Tillage	Conventional	Soil Applied Rate						Aphid					
Soil Texture	Medium	Soil pH											

Directions	
Comments	

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N29-A5	Cruiser 250	2270	20.1	667	30.0	6	165.9	51.2									
2	NK	N29-A2	Cruiser 250	2204	18.8	667	30.0	6	163.7	52.5									
3	Pride	6686	Poncho 250	2086	20.0	667	30.0	6	152.6	54.7									
4	MAIZEX	3860	Poncho 250	2176	19.9	667	30.0	6	159.4	54.0									
5	Pride	6009	Poncho 250	2304	18.5	667	30.0	6	171.8	57.0									
6	Pioneer	38M59	Poncho 250	2398	18.8	667	30.0	6	178.1	55.3									
7	NK	N27B CB/LL/RW	Cruiser 250	2104	19.3	667	30.0	6	155.3	53.6									
8	PICKSEED	2788	Poncho 250	2186	18.8	667	30.0	6	162.4	54.9									
9	Pioneer	38N87	Poncho 250	2234	20.0	667	30.0	6	163.5	54.2									
10	NK	N23F 3000GT	Cruiser 250	1856	18.8	667	30.0	6	137.8	56.0									
11	NK	N23-F7	Cruiser 250	2254	19.4	667	30.0	6	166.2	54.1									
12	Pioneer	38B13	Poncho 250	1970	18.0	667	30.0	6	147.8	56.5									
13	MAIZEX	2722	Poncho 250	1624	18.5	667	30.0	6	121.1	55.0									
14	Pioneer	38H08	Poncho 250	2096	20.5	667	30.0	6	152.4	52.2									
15	MAIZEX	2263	Poncho 250	1990	18.2	667	30.0	6	148.9	55.4									
16																			



iYield Harvest Outline

Crop Corn

Type of Plot Commercial

Plot ID

BU: NK Canada

Cooperator	WOERLEN FARMS LTD	Sales Rep #	EST	Trial County	STORMONT DUNDAS AND GLEN								
Address		Sales Rep	JEREMY NIXON	Trial State/Prov.	ON								
City	WINCHESTER	Sales Agent #		GPS Lat									
State/Prov.	ON	Sales Agent	MACEWNS	GPS Long									
Cooperator Postal Code		Retail Account		Harvested By	Dealer/Sales Agent								
Water Mgmt.	None	Weighing Device	Weigh Wagon/Pads	Corn Borer	Severe	Mod.	Low	None					
Irrigation Type		Planting Date			Corn Rootworm								
Previous Crop		Harvest Date	11/5/2008			CE/WBC/FA							
Planting Rate		Soil Applied Ins.					SCN						
Tillage		Soil Applied Rate						Aphid					
Soil Texture		Soil pH											
Directions													
Comments													

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

#	Brand	Product	Seed Trt.	Entry Weight	% Moisture	Row Length	Row Width	# of Rows	Yield	Test Wt.	Stand Count	Broken Stalks	Root Lodged	Drppd Ears	Shatter	Harvest Lodging	Head Exertion	Soil App. Ins.	Do Not Include
1	NK	N27-C7	Cruiser 250	5560	18.9	1160	30.0	8	177.9	58.5									
2	NK	N27-C7	Cruiser 250	5620	19.0	1160	30.0	8	179.6	57.8									
3	NK	N27B CB/LL/RW	Cruiser 250	5580	19.6	1160	30.0	8	177.0	55.3									
4	NK	N27B CB/LL/RW	Cruiser 250	5310	19.5	1160	30.0	8	168.6	55.4									
5	Pioneer	38M58	Poncho 250	5380	20.3	1160	30.0	8	169.1	55.8									
6	Pioneer	38M58	Poncho 250	5580	19.9	1160	30.0	8	176.3	58.6									
7																			