



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|------------------|-------------------|------------------|--|--------------------|--------|------|-----|------|------------|--|--|--|--|---------------|--|--|--|--|-----------|--|--|--|--|-----|--|--|--|--|-------|--|--|--|--|
| Cooperator | BILL MOWAT FARMS | Sales Rep # | EST | Trial County | OTTAWA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| City | RICHMOND | Sales Agent # | | GPS Lat | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | SUMMIT | GPS Long | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | <table border="1"> <tr> <td></td> <td>Severe</td> <td>Mod.</td> <td>Low</td> <td>None</td> </tr> <tr> <td>Corn Borer</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Corn Rootworm</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CE/WBC/FA</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SCN</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Aphid</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | | Severe | Mod. | Low | None | Corn Borer | | | | | Corn Rootworm | | | | | CE/WBC/FA | | | | | SCN | | | | | Aphid | | | | |
| | Severe | Mod. | Low | | None | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Corn Borer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Corn Rootworm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE/WBC/FA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SCN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aphid | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Irrigation Type | | Planting Date | 5/28/2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/13/2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|----|---------|-----------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 1 | DeKalb | DKB26-55R | CruiserMaxx | 790 | 12.3 | 807 | 7.5 | 28 | 40.9 | | | | | | | | | | |
| 2 | Pride | PS 46RR | CruiserMaxx | 995 | 12.2 | 815 | 7.5 | 28 | 51.1 | | | | | | | | | | |
| 3 | NK | S04-Z9 | Other | 975 | 12.0 | 821 | 7.5 | 28 | 49.8 | | | | | | | | | | |
| 4 | DeKalb | DKB27-07R | CruiserMaxx | 935 | 11.8 | 823 | 7.5 | 28 | 47.8 | | | | | | | | | | |
| 5 | DeKalb | DKB27-02R | CruiserMaxx | 990 | 11.5 | 836 | 7.5 | 28 | 50.0 | | | | | | | | | | |
| 6 | DeKalb | DKB27-51R | CruiserMaxx | 955 | 11.8 | 846 | 7.5 | 28 | 47.5 | | | | | | | | | | |
| 7 | Pride | PS 56RR | CruiserMaxx | 975 | 11.9 | 850 | 7.5 | 28 | 48.2 | | | | | | | | | | |
| 8 | NK | S06-G6 | CruiserMaxx | 950 | 12.1 | 858 | 7.5 | 28 | 46.4 | | | | | | | | | | |
| 9 | DeKalb | DKB27-52R | CruiserMaxx | 770 | 12.0 | 863 | 7.5 | 28 | 37.4 | | | | | | | | | | |
| 10 | DeKalb | DKB28-03R | CruiserMaxx | 910 | 11.8 | 868 | 7.5 | 28 | 44.1 | | | | | | | | | | |
| 11 | NK | S08-C3 | CruiserMaxx | 1040 | 11.6 | 875 | 7.5 | 28 | 50.1 | | | | | | | | | | |
| 12 | Pioneer | 90M01 | CruiserMaxx | 1065 | 11.6 | 890 | 7.5 | 28 | 50.4 | | | | | | | | | | |
| 13 | Pride | PS1057RR | CruiserMaxx | 1075 | 12.1 | 900 | 7.5 | 28 | 50.1 | | | | | | | | | | |
| 14 | DeKalb | DKB28-52R | CruiserMaxx | 1055 | 11.7 | 909 | 7.5 | 28 | 48.9 | | | | | | | | | | |
| 15 | Pioneer | 91M41 | CruiserMaxx | 1100 | 11.5 | 915 | 7.5 | 28 | 50.7 | | | | | | | | | | |
| 16 | Pioneer | 91Y20 | CruiserMaxx | 1035 | 11.9 | 921 | 7.5 | 28 | 47.2 | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | | | | | |



iYield Harvest Outline

Crop Soybean

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | BLONDEHEAD FARMS | | Sales Rep # | EST | | Trial County | OTTAWA | | | | | | | | | | | | |
|---|--|---------|-------------------|------------------|----------------------|-------------------|----------------------------|-----------|----------------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | STITTSVILLE | | Sales Agent # | | | GPS Lat | 45.2426 | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | SUMMIT | | GPS Long | -75.8796 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | 10/10/2008 | | | | CE/WBC/FA | | | | | | | | | | | |
| Planting Rate | 200,000 | | Soil Applied Ins. | | | | | | SCN | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | | | | Aphid | | | | | | | | | |
| Soil Texture | Medium | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | ENTRY #1 IS PRODUCTION ACRE. QUADRIS X 2, BURNDOWN, INSEASON APPLICATION | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | X | Cooperator Signature | | Signature on File | | | | | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | --Sorghum-- | | | | | | | |
| | | | | | | | | | --Soybean-- | | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S06-G6 | Other | 6680 | 12.5 | 2274 | 12.0 | 49 | 43.8 | | | | | | | | | | |
| 2 | NK | S06-G6 | Other | 6650 | 12.3 | 2274 | 12.0 | 49 | 43.7 | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | |



iYield Harvest Outline

Crop Soybean

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | BRENTON | Sales Rep # | EST | Trial County | NORTHUMBERLAND | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------|-------------------|--------------------------|--|----------------------|----------------|-------------------|-------------|-------|------------|-------------|---------------|-------------|------------|---------------|-----------------|---------------|----------------|----------------|-----------|--|--|--|--|-----|--|--|--|--|-------|--|--|--|--|
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| City | WARKWORTH | Sales Agent # | | GPS Lat | 44.1923 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | CAMPBELLFORD FARM SUPPLY | GPS Long | -77.8899 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | <table border="1"> <tr> <td></td> <td>Severe</td> <td>Mod.</td> <td>Low</td> <td>None</td> </tr> <tr> <td>Corn Borer</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Corn Rootworm</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CE/WBC/FA</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SCN</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Aphid</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | | Severe | Mod. | Low | None | Corn Borer | | | | | Corn Rootworm | | | | | CE/WBC/FA | | | | | SCN | | | | | Aphid | | | | |
| | Severe | Mod. | Low | | None | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Corn Borer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Corn Rootworm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE/WBC/FA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SCN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aphid | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Irrigation Type | | Planting Date | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/6/2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | X | Cooperator Signature | | Signature on File | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | Do Not Include in Analysis | | -----Corn----- | | --Sorghum-- | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | --Soybean-- | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | | | | | | | | | | | | | | | |
| 1 | NK | S04-Z9 | | 485 | 15.0 | 604 | 7.0 | 21 | 46.5 | 57.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | NK | S06-G6 | | 555 | 15.5 | 600 | 7.0 | 21 | 53.2 | 55.0 | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| Cooperator | ROB BYIELDS | | Sales Rep # | EST | | Trial County | Stormont Dundas and Glengarry | | | | | | | | | | | | |
|---|--------------|---------|-------------------|------------------|------------|-------------------|-------------------------------|-----------|-------|----------------------------|----------------------|----------------|-------------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | WILLIAMSBURG | | Sales Agent # | | | GPS Lat | 45.0034 | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | SUMMIT | | GPS Long | -75.2347 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | AA/Sales Rep | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | 5/15/2008 | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | 10/11/2008 | | | CE/WBC/FA | | | | | | | | | | | | |
| Planting Rate | 185,000 | | Soil Applied Ins. | | | | SCN | | | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | Aphid | | | | X | | | | | | | | |
| Soil Texture | Medium | | Soil pH | Neutral | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | | --Sorghum-- | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | --Soybean-- | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S10-T1 | CruiserMaxx | 2445 | 13.0 | 1250 | 15.0 | 22 | 51.6 | | | | | | | | | | |
| 2 | NK | X511R | CruiserMaxx | 2460 | 12.8 | 1250 | 15.0 | 22 | 52.1 | | | | | | | | | | |
| 3 | NK | XR1281 | CruiserMaxx | 2390 | 12.8 | 1250 | 15.0 | 22 | 50.6 | | | | | | | | | | |
| 4 | NK | XR1280 | CruiserMaxx | 2560 | 12.5 | 1250 | 15.0 | 22 | 54.4 | | | | | | | | | | |
| 5 | NK | S08-C3 | CruiserMaxx | 2600 | 12.4 | 1250 | 15.0 | 22 | 55.3 | | | | | | | | | | |
| 6 | NK | S06-G6 | CruiserMaxx | 2490 | 12.5 | 1250 | 15.0 | 22 | 52.9 | | | | | | | | | | |
| 7 | NK | S04-Z9 | CruiserMaxx | 2520 | 12.5 | 1250 | 15.0 | 22 | 53.5 | | | | | | | | | | |
| 8 | NK | S10-T1 | CruiserMaxx | 2310 | 12.5 | 1250 | 15.0 | 22 | 49.1 | | | | | | | | | | |
| 9 | NK | S14-A7 | CruiserMaxx | 2460 | 12.5 | 1250 | 15.0 | 22 | 52.3 | | | | | | | | | | |
| 10 | DeKalb | 2803 | CruiserMaxx | 2590 | 12.5 | 1250 | 15.0 | 22 | 55.0 | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| | | | | | | | | | | | | |
|------------------------|------------|-------------------|--------------------------|-------------------|--------------------|-----------|-----|-------|--|--|--|--|
| Cooperator | CLITHEROW | Sales Rep # | EST | Trial County | Northumberland | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | |
| City | CODRINGTON | Sales Agent # | | GPS Lat | 44.1075 | | | | | | | |
| State/Prov. | ON | Sales Agent | CAMPBELLFORD FARM SUPPLY | GPS Long | -77.7709 | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | |
| Irrigation Type | | Planting Date | 5/14/2008 | | Corn Rootworm | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/10/2008 | | | CE/WBC/FA | | | | | | |
| Planting Rate | 200,000 | Soil Applied Ins. | | | | | SCN | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | |
| Soil Texture | Medium | Soil pH | Neutral | | | | | | | | | |
| Directions | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Soybean--

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|----|---------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 1 | NK | XR1776 | CruiserMaxx | 1260 | 15.0 | 753 | 20.0 | 12 | 59.3 | | | | | | | | | | |
| 2 | NK | XR1281 | CruiserMaxx | 1120 | 14.0 | 761 | 20.0 | 12 | 52.8 | | | | | | | | | | |
| 3 | NK | XR1372 | CruiserMaxx | 1135 | 14.0 | 763 | 20.0 | 12 | 53.4 | | | | | | | | | | |
| 4 | NK | X511R | CruiserMaxx | 1280 | 13.5 | 796 | 20.0 | 12 | 58.0 | | | | | | | | | | |
| 5 | NK | XR1684 | CruiserMaxx | 1115 | 13.5 | 806 | 20.0 | 12 | 49.9 | | | | | | | | | | |
| 6 | NK | S14-K6 | CruiserMaxx | 1415 | 13.5 | 932 | 20.0 | 12 | 54.8 | | | | | | | | | | |
| 7 | NK | S08-C3 | CruiserMaxx | 1360 | 13.0 | 928 | 20.0 | 12 | 53.2 | | | | | | | | | | |
| 8 | NK | S13-H7 | CruiserMaxx | 1305 | 14.0 | 903 | 20.0 | 12 | 51.9 | | | | | | | | | | |
| 9 | NK | XR1280 | CruiserMaxx | 1440 | 14.0 | 899 | 20.0 | 12 | 57.5 | | | | | | | | | | |
| 10 | NK | XR1460 | CruiserMaxx | 1405 | 13.0 | 889 | 20.0 | 12 | 57.4 | | | | | | | | | | |
| 11 | NK | S14-A7 | CruiserMaxx | 1375 | 15.0 | 887 | 20.0 | 12 | 55.0 | | | | | | | | | | |
| 12 | Pioneer | 92M41 | CruiserMaxx | 1610 | 15.5 | 889 | 20.0 | 12 | 63.9 | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| | | | | | | | | | | | | | |
|------------------------|---------------------|-------------------|--------------------------|-------------------|--------------------|-----------|-----|-------|--|--|--|--|--|
| Cooperator | DEJONG FAMILY FARMS | Sales Rep # | EST | Trial County | NORTHUMBERLAND | | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | |
| City | BALTIMORE | Sales Agent # | | GPS Lat | 44.1437 | | | | | | | | |
| State/Prov. | ON | Sales Agent | CAMPBELLFORD FARM SUPPLY | GPS Long | -77.9591 | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | |
| Water Mgmt. | None | Weighing Device | | Corn Borer | Severe | Mod. | Low | None | | | | | |
| Irrigation Type | | Planting Date | 5/14/2008 | | Corn Rootworm | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/14/2008 | | | CE/WBC/FA | | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | | | SCN | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Do Not Include in Analysis | | | | -----Corn----- | | --Soybean-- | | --Sorghum-- | |
|---|---------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|----------------------------|---------------|-------------|------------|----------------|-----------------|---------------|----------------|----------------|--|
| | | | | | | | | | | | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | |
| 1 | Pioneer | 91M01 | CruiserMaxx | 3635 | 13.0 | 1532 | 15.0 | 33 | 41.8 | 59.0 | | | | | | | | | | |
| 2 | Pioneer | 91M20 | CruiserMaxx | 3050 | 13.2 | 1532 | 15.0 | 33 | 35.0 | 58.0 | | | | | | | | | | |
| 3 | Pioneer | 91M30 | CruiserMaxx | 3305 | 13.0 | 1532 | 15.0 | 33 | 38.0 | 58.0 | | | | | | | | | | |
| 4 | Pioneer | 91M41 | ApronMaxx | 3460 | 13.0 | 1532 | 15.0 | 33 | 39.7 | 57.5 | | | | | | | | | | |
| 5 | NK | S08-C3 | Other | 3740 | 12.0 | 1532 | 15.0 | 33 | 43.5 | 57.0 | | | | | | | | | | |
| 6 | NK | S06-G6 | Other | 3475 | 12.8 | 1532 | 15.0 | 33 | 40.0 | 57.0 | | | | | | | | | | |
| 7 | Croplan | RT0995 | ApronMaxx | 3415 | 12.8 | 1532 | 15.0 | 33 | 39.3 | 58.0 | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| | | | | | | | | | | | | |
|------------------------|---------------|-------------------|------------------|-------------------|--------------------------|-----------|-----|-------|--|--|--|--|
| Cooperator | DENLORN FARMS | Sales Rep # | EST | Trial County | STORMONT DUNDAS AND GLEN | | | | | | | |
| Address | RR#2 | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | |
| City | BAINSVILLE | Sales Agent # | | GPS Lat | 45.1764 | | | | | | | |
| State/Prov. | ON | Sales Agent | MUNRO AGROMART | GPS Long | -74.5248 | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | |
| Irrigation Type | | Planting Date | | | Corn Rootworm | | | | | | | |
| Previous Crop | Wheat | Harvest Date | 9/26/2008 | | | CE/WBC/FA | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | | | SCN | | | | | |
| Tillage | Conventional | Soil Applied Rate | | | | | | Aphid | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | |
| Directions | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538
 Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|----|---------|----------|-----------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 1 | Croplan | RT0995 | | 958 | 12.3 | 738 | 7.5 | 36 | 42.2 | | | | | | | | | | |
| 2 | Croplan | 1004 | | 838 | 12.9 | 738 | 7.5 | 36 | 36.7 | | | | | | | | | | |
| 3 | NK | S04-Z9 | | 954 | 12.3 | 738 | 7.5 | 36 | 42.0 | | | | | | | | | | |
| 4 | Croplan | RT0611 | | 902 | 12.6 | 738 | 7.5 | 36 | 39.6 | | | | | | | | | | |
| 5 | NK | S13-H7 | | 968 | 12.8 | 738 | 7.5 | 36 | 42.4 | | | | | | | | | | |
| 6 | Croplan | RT1445 | | 1038 | 13.0 | 738 | 7.5 | 36 | 45.4 | | | | | | | | | | |
| 7 | NK | S08-C3 | | 942 | 12.6 | 738 | 7.5 | 36 | 41.4 | | | | | | | | | | |
| 8 | Pioneer | 91Y20 | | 908 | 12.6 | 738 | 7.5 | 36 | 39.9 | | | | | | | | | | |
| 9 | Pioneer | 91M01 | | 818 | 12.4 | 738 | 7.5 | 36 | 36.0 | | | | | | | | | | |
| 10 | DeKalb | DKB2707R | | 1144 | 12.3 | 738 | 7.5 | 36 | 50.4 | | | | | | | | | | |
| 11 | DeKalb | DKB2702R | | 984 | 12.4 | 738 | 7.5 | 36 | 43.3 | | | | | | | | | | |
| 12 | DeKalb | DKB2752 | | 866 | 12.5 | 738 | 7.5 | 36 | 38.1 | | | | | | | | | | |
| 13 | DeKalb | DKB2655 | | 1008 | 12.7 | 738 | 7.5 | 36 | 44.2 | | | | | | | | | | |
| 14 | DeKalb | DKB2803 | | 1024 | 12.0 | 738 | 7.5 | 36 | 45.3 | | | | | | | | | | |
| 15 | Pride | PS46RR | | 1014 | 13.0 | 738 | 7.5 | 36 | 44.3 | | | | | | | | | | |
| 16 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| Cooperator | DONEVELYN FARMS | | | | | | Sales Rep # | EST | | | | | Trial County | Stormont Dundas and Glengarry | | | | | | | | | |
|---|-----------------|---------|-------------|--------------|------------|------------|-------------------|------------------|-------|----------------------------|----------------------|---------------|-------------------|-------------------------------|-----------|-----------------|---------------|----------------|----------------|--|---|--|--|
| Address | | | | | | | Sales Rep | JEREMY NIXON | | | | | Trial State/Prov. | ON | | | | | | | | | |
| City | WINCHESTER | | | | | | Sales Agent # | | | | | | GPS Lat | 45.1890 | | | | | | | | | |
| State/Prov. | ON | | | | | | Sales Agent | SUMMIT | | | | | GPS Long | -75.3844 | | | | | | | | | |
| Cooperator Postal Code | | | | | | | Retail Account | | | | | | Harvested By | | | | | | | | | | |
| Water Mgmt. | None | | | | | | Weighing Device | Weigh Wagon/Pads | | | | | Corn Borer | Severe | Mod. | Low | None | | | | | | |
| Irrigation Type | | | | | | | Planting Date | 5/14/2008 | | | | | | Corn Rootworm | | | | | | | | | |
| Previous Crop | Corn | | | | | | Harvest Date | 10/7/2008 | | | | | | | CE/WBC/FA | | | | | | | | |
| Planting Rate | 185,000 | | | | | | Soil Applied Ins. | | | | | | | | | SCN | | | | | | | |
| Tillage | No-Till | | | | | | Soil Applied Rate | | | | | | | | | | Aphid | | | | X | | |
| Soil Texture | Medium | | | | | | Soil pH | Neutral | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | | Signature on File | | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | Do Not Include in Analysis | | | -----Corn----- | | | | | --Sorghum-- | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | --Soybean-- | | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | | | | |
| 1 | NK | S04-Z9 | Other | 4490 | 13.4 | 1125 | 15.0 | 48 | 48.1 | | | | | | | | | | | | | | |
| 2 | NK | S04-Z9 | CruiserMaxx | 4660 | 13.4 | 1170 | 15.0 | 48 | 48.0 | | | | | | | | | | | | | | |
| 3 | NK | XR0380R | CruiserMaxx | 4100 | 13.2 | 1107 | 15.0 | 48 | 44.7 | | | | | | | | | | | | | | |
| 4 | NK | X508R | CruiserMaxx | 4670 | 13.2 | 1170 | 15.0 | 48 | 48.2 | | | | | | | | | | | | | | |
| 5 | NK | S08-C3 | CruiserMaxx | 4825 | 13.2 | 1170 | 15.0 | 48 | 49.8 | | | | | | | | | | | | | | |
| 6 | NK | S06-G6 | CruiserMaxx | 4620 | 13.0 | 1170 | 15.0 | 48 | 47.8 | | | | | | | | | | | | | | |
| 7 | NK | XR0881 | CruiserMaxx | 4810 | 13.0 | 1170 | 15.0 | 48 | 49.7 | | | | | | | | | | | | | | |
| 8 | NK | S0256R | CruiserMaxx | 4970 | 13.0 | 1170 | 15.0 | 48 | 51.4 | | | | | | | | | | | | | | |
| 9 | NK | S04-Z9 | CruiserMaxx | 4750 | 12.8 | 1170 | 15.0 | 48 | 49.2 | | | | | | | | | | | | | | |
| 10 | NK | S10-T1 | CruiserMaxx | 4530 | 13.0 | 1170 | 15.0 | 48 | 46.8 | | | | | | | | | | | | | | |
| 11 | Pride | PS56 | CruiserMaxx | 4680 | 13.0 | 1170 | 15.0 | 48 | 48.4 | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| Cooperator | DONEVELYN FARMS | | Sales Rep # | EST | | Trial County | Stormont Dundas and Glengarry | | | | | | | | | | | | |
|---|--|---------|-------------------|------------------|------------|-------------------|-------------------------------|----------------------------|-------|-------------|----------------|----------------------|-------------|-------------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | WINCHESTER | | Sales Agent # | | | GPS Lat | 45.1890 | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | SUMMIT | | GPS Long | -75.3844 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | 5/27/2008 | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | 10/7/2008 | | | | CE/WBC/FA | | | | | | | | | | | |
| Planting Rate | 185,000 | | Soil Applied Ins. | | | | | | SCN | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | | | | Aphid | | | | | | | | | |
| Soil Texture | Medium | | Soil pH | Neutral | | | | | | | | | | | X | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | HEAVY WHITE MOLD PLOT. XC2286 COULD NOT BE HARVESTED AS THEY WERE TOO WET. | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | Do Not Include in Analysis | | | -----Corn----- | | | --Sorghum-- | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | --Soybean-- | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S03-W4 | CruiserMaxx | 1410 | 12.6 | 402 | 15.0 | 48 | 42.6 | | | | | | | | | | |
| 2 | NK | S05-T6 | CruiserMaxx | 1270 | 12.6 | 402 | 15.0 | 48 | 38.4 | | | | | | | | | | |
| 3 | NK | S05-T6 | CruiserMaxx | 1175 | 12.6 | 402 | 15.0 | 48 | 35.5 | | | | | | | | | | |
| 4 | NK | S10-B7 | CruiserMaxx | 1065 | 13.2 | 402 | 15.0 | 48 | 32.0 | | | | | | | | | | |
| 5 | NK | S12-A5 | CruiserMaxx | 1220 | 18.5 | 402 | 15.0 | 48 | 34.4 | | | | | | | | | | |
| 6 | NK | XC2286 | CruiserMaxx | | | | | | | | | | | | | | | | |
| 7 | NK | S08-C3 | CruiserMaxx | 1140 | 14.6 | 402 | 15.0 | 48 | 33.7 | | | | | | | | | | |
| 8 | NK | S04-Z9 | CruiserMaxx | 1035 | 13.0 | 402 | 15.0 | 48 | 31.2 | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Agronomy

Plot ID

BU: NK Canada

| Cooperator | DONEVELYN FARMS | Sales Rep # | EST | Trial County | Stormont Dundas and Glengarry | | | | | | | | | | | | | | |
|---|--|-------------------|------------------|----------------------------|-------------------------------|-------------------|-----------|-------------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | |
| City | WINCHESTER | Sales Agent # | | GPS Lat | 45.1890 | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | SUMMIT | GPS Long | -75.3844 | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | | | |
| Irrigation Type | | Planting Date | 5/14/2008 | | Corn Rootworm | | | | | | | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/7/2008 | | CE/WBC/FA | | | | | | | | | | | | | | |
| Planting Rate | 185,000 | Soil Applied Ins. | | | SCN | | | | | | | | | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | Aphid | | | | X | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | Neutral | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | THE FIRST 2 ENTRIES WERE PLANTED APRIL 21. EARLY PLANTED TREATED BEANS WERE FROZEN ON MAY 10TH. UNTREATED HAD NOT EMERGED YET. | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | X | Cooperator Signature | | Signature on File | | | | | | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | Do Not Include in Analysis | | -----Corn----- | | --Sorghum-- | | | | | | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | --Soybean-- | | | | | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S04-Z9 | CruiserMaxx | 4800 | 13.4 | 1170 | 15.0 | 48 | 49.4 | | | | | | | | | | |
| 2 | NK | S04-Z9 | Other | 5245 | 13.4 | 1170 | 15.0 | 48 | 54.0 | | | | | | | | | | |
| 3 | NK | S04-Z9 | Other | 4490 | 13.4 | 1125 | 15.0 | 48 | 48.1 | | | | | | | | | | |
| 4 | NK | S04-Z9 | CruiserMaxx | 4660 | 13.4 | 1170 | 15.0 | 48 | 48.0 | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | |



iYield Harvest Outline

Crop Soybean

Type of Plot Third Party

Plot ID

BU: NK Canada

| | | | | | | | | | | | | |
|------------------------|-----------------|-------------------|------------------|-------------------|--------------------------|-----------|-----|-------|--|--|--|--|
| Cooperator | HENRY DOORNWARD | Sales Rep # | EST | Trial County | STORMONT DUNAS AND GLENG | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | |
| City | WINCHESTER | Sales Agent # | | GPS Lat | | | | | | | | |
| State/Prov. | ON | Sales Agent | SUMMIT | GPS Long | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Competitor | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | |
| Irrigation Type | | Planting Date | | | Corn Rootworm | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/13/2008 | | | CE/WBC/FA | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | | | SCN | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | |
| Directions | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|---|---------|----------|-----------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 1 | DeKalb | DKB2707R | Other | 3260 | 11.9 | 1482 | 7.0 | 62 | 44.7 | | | | | | | | | | |
| 2 | NK | S06-G6 | Other | 3500 | 11.9 | 1482 | 7.0 | 62 | 48.0 | | | | | | | | | | |
| 3 | Croplan | TR0995 | Other | 3514 | 11.9 | 1482 | 7.0 | 62 | 48.2 | | | | | | | | | | |
| 4 | Pioneer | 91M01 | Other | 3142 | 11.7 | 1482 | 7.0 | 62 | 43.2 | | | | | | | | | | |
| 5 | DeKalb | DKB2803R | Other | 3662 | 11.4 | 1482 | 7.0 | 62 | 50.5 | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Agronomy

Plot ID

BU: NK Canada

| Cooperator | IAN GREYDANUS | | Sales Rep # | EST | | Trial County | NORTHUMBERLAND | | | | | | | | | | | | |
|---|--|---------|-------------------|------------------|------------|-------------------|----------------------------|-----------|-------|----------------|----------------------|---------------|-------------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | GRAFTON | | Sales Agent # | | | GPS Lat | 44.0278 | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | TRI-COUNTY | | GPS Long | -77.7738 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | AA/Sales Rep | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | 5/14/2008 | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | 10/13/2008 | | | CE/WBC/FA | | | | | | | | | | | | |
| Planting Rate | 200,000 | | Soil Applied Ins. | | | | SCN | | | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | Aphid | | | | | | | | | | | | |
| Soil Texture | Medium | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | PRODUCTION ACRE ENTRIES 3&4 WAS THE PRODUCTION ACRE. ENTRY 3&4 SPRAYED WITH QUADRIS. | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | Do Not Include in Analysis | | | -----Corn----- | | | --Sorghum-- | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | --Soybean-- | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S08-C3 | CruiserMaxx | 11470 | 13.5 | 3250 | 15.0 | 40 | 50.9 | | | | | | | | | | |
| 2 | NK | S08-C3 | CruiserMaxx | 11050 | 13.5 | 3250 | 15.0 | 40 | 49.1 | | | | | | | | | | |
| 3 | NK | S08-C3 | CruiserMaxx | 11160 | 13.5 | 3250 | 15.0 | 39 | 50.8 | | | | | | | | | | |
| 4 | NK | S08-C3 | CruiserMaxx | 11200 | 13.0 | 3250 | 15.0 | 40 | 50.0 | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| | | | | | | | | | | | | | |
|------------------------|-------------------|-------------------|------------------|-------------------|----------------------|-----------|-----|-------|--|--|--|--|--|
| Cooperator | ROBERT HAMILTON | Sales Rep # | EST | Trial County | PRESSCOT AND RUSSELL | | | | | | | | |
| Address | 364 HAMILTON ROAD | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | |
| City | RUSSEL | Sales Agent # | | GPS Lat | 45.3213 | | | | | | | | |
| State/Prov. | ON | Sales Agent | MACEWEN | GPS Long | -75.3942 | | | | | | | | |
| Cooperator Postal Code | K4R 1E5 | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | |
| Irrigation Type | | Planting Date | 5/29/2008 | | Corn Rootworm | | | | | | | | |
| Previous Crop | Wheat | Harvest Date | 10/20/2008 | | | CE/WBC/FA | | | | | | | |
| Planting Rate | 200,000 | Soil Applied Ins. | | | | | SCN | | | | | | |
| Tillage | Conventional | Soil Applied Rate | | | | | | Aphid | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | |
| Comments | HEAVY WHITE MOLD | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Do Not Include in Analysis | | | | -----Corn----- | | --Soybean-- | | | |
|----|-------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|----------------------------|---------------|-------------|------------|----------------|-----------------|---------------|----------------|----------------|--|
| | | | | | | | | | | | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | |
| 1 | NK | S05-T6 | CruiserMaxx | 1005 | 10.0 | 895 | 14.0 | 17 | 42.5 | | | | | | | | | | | |
| 2 | NK | S12-A5 | Other | 780 | 10.0 | 895 | 14.0 | 17 | 33.0 | | | | | | | | | | | |
| 3 | NK | S10-B7 | CruiserMaxx | 780 | 10.2 | 895 | 14.0 | 17 | 32.9 | | | | | | | | | | | |
| 4 | NK | S08-80 | Other | 960 | 10.0 | 895 | 14.0 | 17 | 40.6 | | | | | | | | | | | |
| 5 | NK | S05-T6 | CruiserMaxx | 940 | 10.0 | 895 | 14.0 | 17 | 39.8 | | | | | | | | | | | |
| 6 | NK | S03-W4 | CruiserMaxx | 910 | 10.0 | 895 | 14.0 | 17 | 38.5 | | | | | | | | | | | |
| 7 | NK | S08-C3 | CruiserMaxx | 920 | 10.2 | 895 | 14.0 | 17 | 38.8 | | | | | | | | | | | |
| 8 | NK | S04-Z9 | CruiserMaxx | 520 | 10.0 | 895 | 14.0 | 8 | 46.8 | | | | | | | | | | | |
| 9 | NK | S04-Z9 | Other | 660 | 10.4 | 895 | 14.0 | 14 | 33.8 | | | | | | | | | | | |
| 10 | NK | S0256R | CruiserMaxx | 860 | 10.2 | 895 | 14.0 | 17 | 36.3 | | | | | | | | | | | |
| 11 | NK | S06-G6 | CruiserMaxx | 640 | 10.6 | 895 | 14.0 | 17 | 26.9 | | | | | | | | | | | |
| 12 | NK | S08-C3 | CruiserMaxx | 970 | 10.4 | 895 | 14.0 | 17 | 40.9 | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | | | | | | |



iYield Harvest Outline

Crop Soybean

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | HARRY HAWKINS | | Sales Rep # | EST | | Trial County | RENFREW | | | | | | | | | | | | |
|---|--|---------|-------------------|------------------|------------|-------------------|----------------------------|-----------|----------------|-------------|----------------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | PEMBROKE | | Sales Agent # | | | GPS Lat | 45.7631 | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | M&R FEEDS | | GPS Long | -77.1196 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | AA/Sales Rep | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | 5/23/2008 | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Wheat | | Harvest Date | 10/15/2008 | | | CE/WBC/FA | | | | | | | | | | | | |
| Planting Rate | 220,000 | | Soil Applied Ins. | | | | SCN | | | | | | | | | | | | |
| Tillage | Conventional | | Soil Applied Rate | | | | Aphid | | | | | | | | | | | | |
| Soil Texture | Medium | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | ENTRY #1 IS NUMBER 2 SEED UNTREATED WHILE OTHER ENTRIES WERE BOTH TREATED #1 WITH CRUSIER MAX. 2&3 ENTRIES HAD MIN WHITE MOLD. | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | | Cooperator Signature | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | --Sorghum-- | | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | --Soybean-- | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S0256R | Other | 890 | 13.8 | 480 | 7.0 | 44 | 52.0 | | | | | | | | | | |
| 2 | NK | S0256R | CruiserMaxx | 980 | 13.8 | 595 | 7.0 | 44 | 46.2 | | | | | | | | | | |
| 3 | NK | S0256R | CruiserMaxx | 910 | 13.8 | 560 | 7.0 | 44 | 45.5 | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Agronomy

Plot ID

BU: NK Canada

| Cooperator | HOG HAVEN FARMS | | | | | Sales Rep # | EST | | | | | Trial County | STORMONT DUNDAS AND GLEN | | | | | | | | | | | |
|---|---|---------|-------------|--------------|------------|-------------------|------------------|-----------|-------|----------|----------------------------|----------------------|--------------------------|------------|----------------|-----------------|-------------------|----------------|----------------|-------------|--|--|--|--|
| Address | | | | | | Sales Rep | JEREMY NIXON | | | | | Trial State/Prov. | ON | | | | | | | | | | | |
| City | FINCH | | | | | Sales Agent # | | | | | | GPS Lat | 45.2398 | | | | | | | | | | | |
| State/Prov. | ON | | | | | Sales Agent | SUMMIT | | | | | GPS Long | -75.0724 | | | | | | | | | | | |
| Cooperator Postal Code | | | | | | Retail Account | | | | | | Harvested By | AA/Sales Rep | | | | | | | | | | | |
| Water Mgmt. | None | | | | | Weighing Device | Weigh Wagon/Pads | | | | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | |
| Irrigation Type | | | | | | Planting Date | | | | | | | Corn Rootworm | | | | | | | | | | | |
| Previous Crop | Corn | | | | | Harvest Date | 10/5/2008 | | | | | | | CE/WBC/FA | | | | | | | | | | |
| Planting Rate | | | | | | Soil Applied Ins. | | | | | | | | | SCN | | | | | | | | | |
| Tillage | Conventional | | | | | Soil Applied Rate | | | | | | | | | | Aphid | | | | | | | | |
| Soil Texture | Medium | | | | | Soil pH | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | | | | |
| Comments | PRODUCTION ACRE ENTRY 1 & 3 ARE THE PRODUCTION ARCE. Entry 1&3 sprayed with Quadris | | | | | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | | X | Cooperator Signature | | | | | Signature on File | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | | Do Not Include in Analysis | | | | -----Corn----- | | | | | --Sorghum-- | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | | | --Soybean-- | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | | | | | |
| 1 | NK | S10-B7 | CruiserMaxx | 6235 | 14.2 | 1880 | 15.0 | 40 | 47.5 | | | | | | | | | | | | | | | |
| 2 | NK | S10-B7 | CruiserMaxx | 6210 | 14.4 | 1880 | 15.0 | 40 | 47.2 | | | | | | | | | | | | | | | |
| 3 | NK | S10-B7 | CruiserMaxx | 6255 | 14.2 | 1880 | 15.0 | 40 | 47.6 | | | | | | | | | | | | | | | |
| 4 | NK | S10-B7 | CruiserMaxx | 6240 | 14.4 | 1880 | 15.0 | 40 | 47.4 | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | FRANK HEUVELMAN | | Sales Rep # | EST | | Trial County | STORMONT DUNDAS AND GLEN | | | | | | | | | | | | |
|---|-----------------|---------|-------------------|------------------|------------|-------------------|--------------------------|-----------|-------|----------|----------------------------|----------------------|----------------|-------------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | MARIONVILLE | | Sales Agent # | | | GPS Lat | 45.1947 | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | SUMMIT | | GPS Long | -75.3994 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | 5/10/2008 | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | 10/8/2008 | | | | CE/WBC/FA | | | | | | | | | | | |
| Planting Rate | | | Soil Applied Ins. | | | | | | SCN | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | | | | Aphid | | | | | | | | | |
| Soil Texture | Medium | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | | --Sorghum-- | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | --Soybean-- | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | Croplan | RT0611 | ApronMaxx | 2230 | 12.7 | 1201 | 15.0 | 22 | 49.2 | | | | | | | | | | |
| 2 | Croplan | RT0395 | CruiserMaxx | 2070 | 12.7 | 1201 | 15.0 | 22 | 45.7 | | | | | | | | | | |
| 3 | NK | S04-Z9 | CruiserMaxx | 2330 | 12.3 | 1201 | 15.0 | 22 | 51.6 | | | | | | | | | | |
| 4 | Croplan | RT1004 | Other | 2120 | 12.9 | 1201 | 15.0 | 22 | 46.7 | | | | | | | | | | |
| 5 | NK | S08-C3 | CruiserMaxx | 2420 | 12.6 | 1201 | 15.0 | 22 | 53.4 | | | | | | | | | | |
| 6 | Croplan | RT0995 | Other | 2260 | 12.6 | 1201 | 15.0 | 22 | 49.9 | | | | | | | | | | |
| 7 | NK | S06-G6 | CruiserMaxx | 2190 | 14.5 | 1201 | 15.0 | 22 | 47.3 | | | | | | | | | | |
| 8 | Croplan | RT0611 | ApronMaxx | 2560 | 13.4 | 1201 | 15.0 | 22 | 56.0 | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| | | | | | | | | |
|------------------------|--------------|-------------------|------------------|-------------------|----------------|------|-----|------|
| Cooperator | HOSKIN FARMS | Sales Rep # | EST | Trial County | NORTHUMBERLAND | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | |
| City | COBOURG | Sales Agent # | | GPS Lat | 44.0045 | | | |
| State/Prov. | ON | Sales Agent | TRI-COUNTY | GPS Long | -78.0580 | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | AA/Sales Rep | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None |
| Irrigation Type | | Planting Date | 5/12/2008 | | | X | | |
| Previous Crop | Corn | Harvest Date | 10/13/2008 | | Corn Rootworm | | | |
| Planting Rate | 210,000 | Soil Applied Ins. | | | CE/WBC/FA | | | |
| Tillage | No-Till | Soil Applied Rate | | | SCN | | | |
| Soil Texture | Medium | Soil pH | Neutral | | Aphid | | | |
| Directions | | | | | | | | |
| Comments | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|----|-------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 1 | NK | S12-A5 | CruiserMaxx | 485 | 10.6 | 405 | 7.5 | 24 | 59.6 | | | | | | | | | | |
| 2 | NK | S14-K6 | CruiserMaxx | 395 | 11.8 | 405 | 7.5 | 24 | 47.9 | | | | | | | | | | |
| 3 | NK | S06-G6 | Other | 455 | 11.8 | 405 | 7.5 | 24 | 55.1 | | | | | | | | | | |
| 4 | NK | S08-C3 | CruiserMaxx | 375 | 11.4 | 405 | 7.5 | 24 | 45.6 | | | | | | | | | | |
| 5 | NK | XR1684 | CruiserMaxx | 400 | 12.0 | 405 | 7.5 | 24 | 48.4 | | | | | | | | | | |
| 6 | NK | XR1776 | CruiserMaxx | 295 | 11.8 | 405 | 7.5 | 24 | 35.7 | | | | | | | | | | |
| 7 | NK | S13-H7 | CruiserMaxx | 310 | 12.0 | 405 | 7.5 | 24 | 37.5 | | | | | | | | | | |
| 8 | NK | S14-A7 | CruiserMaxx | 425 | 11.8 | 405 | 7.5 | 24 | 51.5 | | | | | | | | | | |
| 9 | NK | S14-K6 | CruiserMaxx | 390 | 11.8 | 405 | 7.5 | 24 | 47.3 | | | | | | | | | | |
| 10 | NK | X1372 | CruiserMaxx | 450 | 11.5 | 405 | 7.5 | 24 | 54.7 | | | | | | | | | | |
| 11 | NK | X1460 | CruiserMaxx | 415 | 12.5 | 405 | 7.5 | 24 | 49.9 | | | | | | | | | | |
| 12 | NK | S15-B1 | CruiserMaxx | 450 | 12.5 | 405 | 7.5 | 24 | 54.1 | | | | | | | | | | |
| 13 | NK | S17-A1 | CruiserMaxx | 375 | 12.5 | 405 | 7.5 | 24 | 45.1 | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | NEIL HUNTER | Sales Rep # | EST | Trial County | LENNOX AND ADDINGTON | | | | | | | | | | | | | | |
|---|-------------|-------------------|--------------------|----------------------------|----------------------|----------------|-----------|-----------|-------------------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | |
| City | BATH | Sales Agent # | | GPS Lat | | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | O'NEIL FARM SUPPLY | GPS Long | | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | | | |
| Irrigation Type | | Planting Date | | | Corn Rootworm | | | | | | | | | | | | | | |
| Previous Crop | Hay | Harvest Date | | | | CE/WBC/FA | | | | | | | | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | | | SCN | | | | | | | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | X | Cooperator Signature | | | | Signature on File | | | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | Do Not Include in Analysis | | -----Corn----- | | | --Sorghum-- | | | | | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | --Soybean-- | | | | | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S10-T1 | | 1198 | 13.2 | 773 | 15.0 | 20 | 44.9 | | | | | | | | | | |
| 2 | Pioneer | 91Y20 | | 1478 | 13.9 | 835 | 15.0 | 20 | 50.9 | | | | | | | | | | |
| 3 | NK | S15-B1 | | 1680 | 14.5 | 865 | 15.0 | 20 | 55.4 | | | | | | | | | | |
| 4 | Pioneer | 91M41 | | 1508 | 13.4 | 895 | 15.0 | 20 | 48.7 | | | | | | | | | | |
| 5 | Croplan | RT1784A | | 1560 | 15.3 | 920 | 15.0 | 20 | 47.9 | | | | | | | | | | |
| 6 | Croplan | RT1784A | | 1474 | 14.4 | 943 | 15.0 | 20 | 44.7 | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | |



iYield Harvest Outline

Crop Soybean

Type of Plot Agronomy

Plot ID

BU: NK Canada

| Cooperator | NEIL HUNTER | | Sales Rep # | EST | | Trial County | LENNOX AND ADDINGTON | | | | | | | | | | | | |
|---|-----------------------------------|---------|-------------------|--------------------|------------|-------------------|----------------------------|-----------|-------|----------------|----------------------|---------------|-------------------|------------|-------------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | BATH | | Sales Agent # | | | GPS Lat | | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | O'NEIL FARM SUPPLY | | GPS Long | | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | | | | | CE/WBC/FA | | | | | | | | | | | |
| Planting Rate | | | Soil Applied Ins. | | | | SCN | | | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | | Aphid | | | | | | | | | | | |
| Soil Texture | Medium | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | FIRST ENTRY TREATED WITH HEADLINE | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | Do Not Include in Analysis | | | -----Corn----- | | | --Soybean-- | | --Sorghum-- | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S10-T1 | Other | 1784 | 14.0 | 530 | 15.0 | 40 | 48.3 | | | | | | | | | | |
| 2 | NK | S10-T1 | Other | 1524 | 13.5 | 530 | 15.0 | 40 | 41.5 | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | NEIL HUNTER | | Sales Rep # | EST | | Trial County | LENNOX AND ADDINGTON | | | | | | | | | | | | |
|---|--|---------|-------------------|--------------------|------------|-------------------|----------------------------|-----------|-------|----------------|----------------------|---------------|-------------------|------------|-------------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | BATH | | Sales Agent # | | | GPS Lat | | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | O'NEIL FARM SUPPLY | | GPS Long | | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | | | | | CE/WBC/FA | | | | | | | | | | | |
| Planting Rate | | | Soil Applied Ins. | | | | SCN | | | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | | Aphid | | | | | | | | | | | |
| Soil Texture | Medium | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | MATRIX WHITE MOLD + LODGING PS 56 HAD WHITE MOLD | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | Do Not Include in Analysis | | | -----Corn----- | | | --Soybean-- | | --Sorghum-- | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | Pioneer | 90M80 | ApronMaxx | 782 | 15.3 | 535 | 15.0 | 20 | 41.3 | | | | | | | | | | |
| 2 | NK | S10-T1 | Other | 764 | 13.7 | 535 | 15.0 | 20 | 41.1 | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | KAISER LAKE FARMS | | Sales Rep # | EST | | Trial County | LENNOX AND ADDINGTON | | | | | | | | | | | | |
|---|-------------------|----------|-------------------|--------------------|------------|-------------------|----------------------|----------------------------|-------|----------------|----------------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | NAPANEE | | Sales Agent # | | | GPS Lat | 44.1133 | | | | | | | | | | | | |
| State/Prov. | | | Sales Agent | O'NEIL FARM SUPPLY | | GPS Long | -77.0321 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | 5/17/2008 | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | 10/10/2008 | | | CE/WBC/FA | | | | | | | | | | | | |
| Planting Rate | | | Soil Applied Ins. | | | | SCN | | | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | Aphid | | | | | | | | | | | | |
| Soil Texture | Fine | | Soil pH | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | | Cooperator Signature | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | --Sorghum-- | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | --Soybean-- | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | Hyland | RAZOR | | 1340 | 13.5 | 1300 | 9.0 | 20 | 49.6 | | | | | | | | | | |
| 2 | Pioneer | 90M80 | | 1370 | 13.4 | 1300 | 9.0 | 20 | 50.8 | | | | | | | | | | |
| 3 | NK | S14-A7 | | 1490 | 13.5 | 1300 | 9.0 | 20 | 55.2 | | | | | | | | | | |
| 4 | Pioneer | 91M01 | | 1450 | 13.3 | 1300 | 9.0 | 20 | 53.8 | | | | | | | | | | |
| 5 | NK | S13-H7 | | 1400 | 13.4 | 1305 | 9.0 | 20 | 51.7 | | | | | | | | | | |
| 6 | Croplan | RT1004 | | 1530 | 13.0 | 1310 | 9.0 | 20 | 56.5 | | | | | | | | | | |
| 7 | DeKalb | DKB29-52 | | 1590 | 13.6 | 1315 | 9.0 | 20 | 58.1 | | | | | | | | | | |
| 8 | Hyland | 11R46 | | 1610 | 13.6 | 1320 | 9.0 | 20 | 58.6 | | | | | | | | | | |
| 9 | Pioneer | 91M30 | | 1600 | 13.5 | 1325 | 9.0 | 20 | 58.1 | | | | | | | | | | |
| 10 | NK | S14-K6 | | 1620 | 13.1 | 1330 | 9.0 | 20 | 58.9 | | | | | | | | | | |
| 11 | Croplan | RT1445 | | 1660 | 13.0 | 1335 | 9.0 | 20 | 60.2 | | | | | | | | | | |
| 12 | DeKalb | DKB2803 | | 1360 | 12.9 | 1135 | 9.0 | 20 | 58.1 | | | | | | | | | | |
| 13 | Hyland | 13RS52 | | 1230 | 12.7 | 1100 | 9.0 | 20 | 54.3 | | | | | | | | | | |
| 14 | Pioneer | 91Y20 | | 1180 | 12.8 | 1060 | 9.0 | 20 | 54.0 | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | ROGER LAFERTY | Sales Rep # | EST | Trial County | NORTHUMBERLAND | | | | | | | | | | | | | | | |
|---|---------------|-------------------|------------------|-------------------|--------------------|------------|-----------|-----------|-------|----------------------------|----------------------|----------------|-------------------|------------|-------------|-----------------|---------------|----------------|----------------|--|
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | | |
| City | TRENTON | Sales Agent # | | GPS Lat | | | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | TRI-COUNTY | GPS Long | | | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | | | | |
| Irrigation Type | | Planting Date | 5/15/2008 | | Corn Rootworm | | | | | | | | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/18/2008 | | | CE/WBC/FA | | | | | | | | | | | | | | |
| Planting Rate | 200,000 | Soil Applied Ins. | | | | | SCN | | | | | | | | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | --Sorghum-- | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | | | --Soybean-- | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | |
| 1 | NK | S15-B1 | ApronMaxx | 940 | 14.0 | 970 | 7.0 | 24 | 49.7 | | | | | | | | | | | |
| 2 | Pioneer | 91M30 | ApronMaxx | 1570 | 13.1 | 1781 | 7.0 | 24 | 45.7 | | | | | | | | | | | |
| 3 | Pioneer | 91M41 | ApronMaxx | 1540 | 12.0 | 1760 | 7.0 | 24 | 45.9 | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | MARTIN LANG | Sales Rep # | EST | Trial County | STORMONT DUNDAS AND GLEN | | | | | | | | | | | | | | |
|---|--------------|-------------------|------------------|-------------------|--------------------------|------------|-----------|-----------|-------|----------------------------|----------------------|----------------|-------------------|------------|-------------|-----------------|---------------|----------------|----------------|
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | |
| City | WILLIAMSTOWN | Sales Agent # | | GPS Lat | 45.1359 | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | MUNRO | GPS Long | -74.5551 | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | | | |
| Irrigation Type | | Planting Date | 5/28/2008 | | Corn Rootworm | | | | | | | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/18/2008 | | | CE/WBC/FA | | | | | | | | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | SCN | | | | | | | | | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | Aphid | | | | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | --Sorghum-- | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | | | --Soybean-- | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S12-A5 | CruiserMaxx | 956 | 12.7 | 560 | 15.0 | 20 | 49.7 | | | | | | | | | | |
| 2 | NK | S10-B7 | CruiserMaxx | 972 | 12.2 | 580 | 15.0 | 20 | 49.1 | | | | | | | | | | |
| 3 | NK | S08-80 | CruiserMaxx | 908 | 12.4 | 600 | 15.0 | 20 | 44.3 | | | | | | | | | | |
| 4 | NK | S05-T6 | CruiserMaxx | 944 | 12.2 | 650 | 15.0 | 20 | 42.6 | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | |



iYield Harvest Outline

Crop Soybean

Type of Plot Experimental

Plot ID

BU: NK Canada

| Cooperator | ALAIN LEGAULT | | | Sales Rep # | EST | | | Trial County | Prescott and Russell | | | | | | | | | | |
|---|---|---------|-------------|-------------------|------------------|------------|-----------|----------------------------|----------------------|----------------|-------------|---------------|-------------------|-------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | | Sales Rep | JEREMY NIXON | | | Trial State/Prov. | ON | | | | | | | | | | |
| City | MOOSECREEK | | | Sales Agent # | | | | GPS Lat | 45.3170 | | | | | | | | | | |
| State/Prov. | ON | | | Sales Agent | MACEWENS | | | GPS Long | -74.9062 | | | | | | | | | | |
| Cooperator Postal Code | | | | Retail Account | | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | |
| Water Mgmt. | None | | | Weighing Device | Weigh Wagon/Pads | | | Corn Borer | Severe | Mod. | Low | None | | | | | | | |
| Irrigation Type | | | | Planting Date | 5/13/2008 | | | | Corn Rootworm | | | | | | | | | | |
| Previous Crop | Corn | | | Harvest Date | 9/22/2008 | | | | | CE/WBC/FA | | | | | | | | | |
| Planting Rate | 200,000 | | | Soil Applied Ins. | | | | | | | SCN | | | | | | | | |
| Tillage | No-Till | | | Soil Applied Rate | | | | | | | | Aphid | | | | | | | |
| Soil Texture | Medium | | | Soil pH | Neutral | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | ENTRIES 6-9 WHERE HARVESTED ON OCT 7. TOO GREEN TO HARVEST. | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | X | Cooperator Signature | | | | Signature on File | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | | --Sorghum-- | | | | | |
| | | | | | | | | | | --Soybean-- | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S04-Z9 | Other | 1380 | 11.4 | 943 | 15.0 | 16 | 54.1 | | | | | | | | | | |
| 2 | NK | S04-Z9 | CruiserMaxx | 1240 | 11.0 | 943 | 15.0 | 16 | 48.8 | | | | | | | | | | |
| 3 | NK | S0256R | CruiserMaxx | 1360 | 12.0 | 943 | 15.0 | 16 | 53.0 | | | | | | | | | | |
| 4 | NK | S08-C3 | CruiserMaxx | 1390 | 14.2 | 943 | 15.0 | 16 | 52.8 | | | | | | | | | | |
| 5 | NK | X508R | CruiserMaxx | 1160 | 12.2 | 943 | 15.0 | 16 | 45.1 | | | | | | | | | | |
| 6 | NK | XR0881 | CruiserMaxx | 1540 | 12.2 | 943 | 15.0 | 16 | 59.8 | | | | | | | | | | |
| 7 | NK | S06-G6 | CruiserMaxx | 1300 | 12.6 | 943 | 15.0 | 16 | 50.3 | | | | | | | | | | |
| 8 | NK | XR0380 | CruiserMaxx | 1420 | 12.6 | 943 | 15.0 | 16 | 54.9 | | | | | | | | | | |
| 9 | DeKalb | 2803R | CruiserMaxx | 1540 | 12.5 | 943 | 15.0 | 16 | 59.6 | | | | | | | | | | |
| 10 | NK | S10-T1 | CruiserMaxx | 1410 | 15.2 | 943 | 15.0 | 16 | 52.9 | | | | | | | | | | |
| 11 | Pride | PS56RR | CruiserMaxx | 1600 | 17.8 | 943 | 15.0 | 16 | 58.2 | | | | | | | | | | |
| 12 | NK | S04-Z9 | CruiserMaxx | 1370 | 11.8 | 943 | 15.0 | 16 | 53.5 | | | | | | | | | | |
| 13 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | ALAIN LEVAC | Sales Rep # | EST | Trial County | PRESCOTT AND RUSSELL | | | | | | | | | | | | | | |
|---|---|-------------------|------------------|-------------------|----------------------|------------|-----------|----------------------------|-------|----------------|----------------------|---------------|-------------------|------------|-------------|-----------------|---------------|----------------|----------------|
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | |
| City | ST ISADORE | Sales Agent # | | GPS Lat | 45.4243 | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | MACEWENS | GPS Long | -74.8438 | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | AA/Sales Rep | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | | | |
| Irrigation Type | | Planting Date | 5/13/2008 | | Corn Rootworm | | | | | | | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/9/2008 | | CE/WBC/FA | | | | | | | | | | | | | | |
| Planting Rate | 210,000 | Soil Applied Ins. | | | SCN | | | | | | | | | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | Aphid | | | | | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | HEAVY WHITE MOLD AND RAG WEED PRESSURE. | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | --Soybean-- | | --Sorghum-- | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S12-A5 | CruiserMaxx | 1200 | 17.2 | 1425 | 15.0 | 16 | 29.1 | | | | | | | | | | |
| 2 | NK | S10-B7 | CruiserMaxx | 1430 | 12.8 | 1425 | 15.0 | 16 | 36.5 | | | | | | | | | | |
| 3 | Hyland | COLBY | CruiserMaxx | 1135 | 13.5 | 1425 | 15.0 | 15 | 30.7 | | | | | | | | | | |
| 4 | NK | S08-80 | CruiserMaxx | 1640 | 15.0 | 1425 | 15.0 | 16 | 40.8 | | | | | | | | | | |
| 5 | NK | S05-T6 | CruiserMaxx | 1405 | 12.5 | 1425 | 15.0 | 16 | 36.0 | | | | | | | | | | |
| 6 | NK | S03-W4 | Other | 1665 | 12.2 | 1425 | 15.0 | 16 | 42.8 | | | | | | | | | | |
| 7 | NK | S03-W4 | CruiserMaxx | 1550 | 12.2 | 1425 | 15.0 | 14 | 45.5 | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| | | | | | |
|------------------------|-------------------------------------|-------------------|------------------|-------------------|----------------------|
| Cooperator | NIXON FARMS | Sales Rep # | EST | Trial County | Ottawa |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON |
| City | NORTH GORE | Sales Agent # | | GPS Lat | 45.1082 |
| State/Prov. | ON | Sales Agent | | GPS Long | -75.7615 |
| Cooperator Postal Code | | Retail Account | | Harvested By | AA/Sales Rep |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe Mod. Low None |
| Irrigation Type | | Planting Date | 5/14/2008 | Corn Rootworm | |
| Previous Crop | Corn | Harvest Date | 10/4/2008 | CE/WBC/FA | |
| Planting Rate | 180,000 | Soil Applied Ins. | | SCN | |
| Tillage | Minimum | Soil Applied Rate | | Aphid | |
| Soil Texture | Medium | Soil pH | Neutral | | |
| Directions | ENTRY #6 IS AT 210,000 SEDING RATE. | | | | |
| Comments | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538
 Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|----|--------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 1 | NK | S12-A5 | CruiserMaxx | 1735 | 17.0 | 655 | 15.0 | 24 | 61.2 | | | | | | | | | | |
| 2 | NK | S10-B7 | CruiserMaxx | 1355 | 14.6 | 655 | 15.0 | 24 | 49.1 | | | | | | | | | | |
| 3 | Hyland | COLBY | CruiserMaxx | 1295 | 15.0 | 655 | 15.0 | 24 | 46.7 | | | | | | | | | | |
| 4 | NK | S08-80 | CruiserMaxx | 1480 | 16.2 | 655 | 15.0 | 24 | 52.7 | | | | | | | | | | |
| 5 | NK | S05-T6 | CruiserMaxx | 1375 | 14.2 | 655 | 15.0 | 24 | 50.1 | | | | | | | | | | |
| 6 | NK | S05-T6 | CruiserMaxx | 1340 | 14.2 | 655 | 15.0 | 24 | 48.8 | | | | | | | | | | |
| 7 | NK | S03-W4 | CruiserMaxx | 1255 | 13.8 | 655 | 15.0 | 24 | 45.9 | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------|-------------|-------------------|------------------|--|--------------|--------|------|-----|------|------------|--|--|--|--|---------------|--|--|--|--|-----------|--|--|--|--|-----|--|--|--|--|-------|--|--|--|--|
| Cooperator | NIXON FARMS | Sales Rep # | EST | Trial County | Ottawa | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| City | NORTH GORE | Sales Agent # | | GPS Lat | 45.1082 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | | GPS Long | -75.7615 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | AA/Sales Rep | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | <table border="1"> <tr> <td></td> <td>Severe</td> <td>Mod.</td> <td>Low</td> <td>None</td> </tr> <tr> <td>Corn Borer</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Corn Rootworm</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CE/WBC/FA</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SCN</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Aphid</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | | Severe | Mod. | Low | None | Corn Borer | | | | | Corn Rootworm | | | | | CE/WBC/FA | | | | | SCN | | | | | Aphid | | | | |
| | Severe | Mod. | Low | | None | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Corn Borer | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Corn Rootworm | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CE/WBC/FA | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SCN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Aphid | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Irrigation Type | | Planting Date | 5/14/2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/4/2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Planting Rate | 180,000 | Soil Applied Ins. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tillage | Minimum | Soil Applied Rate | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | Neutral | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|----|---------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 1 | NK | S0256R | CruiserMaxx | 930 | 14.4 | 475 | 15.0 | 24 | 46.6 | | | | | | | | | | |
| 2 | NK | XR0380 | CruiserMaxx | 695 | 14.6 | 625 | 15.0 | 24 | 26.4 | | | | | | | | | | |
| 3 | NK | S04-Z9 | CruiserMaxx | 1075 | 14.6 | 625 | 15.0 | 24 | 40.9 | | | | | | | | | | |
| 4 | NK | XR0881 | CruiserMaxx | 1360 | 15.8 | 625 | 15.0 | 24 | 51.0 | | | | | | | | | | |
| 5 | NK | S06-G6 | CruiserMaxx | 1415 | 15.8 | 655 | 15.0 | 24 | 50.6 | | | | | | | | | | |
| 6 | NK | X508R | CruiserMaxx | 1275 | 14.4 | 655 | 15.0 | 24 | 46.3 | | | | | | | | | | |
| 7 | NK | S08-C3 | CruiserMaxx | 1445 | 14.2 | 655 | 15.0 | 24 | 52.7 | | | | | | | | | | |
| 8 | Pioneer | 91M01 | CruiserMaxx | 1265 | 15.6 | 655 | 15.0 | 24 | 45.3 | | | | | | | | | | |
| 9 | DeKalb | 2803R | CruiserMaxx | 1480 | 16.8 | 655 | 15.0 | 24 | 52.3 | | | | | | | | | | |
| 10 | Pioneer | 91M41 | CruiserMaxx | 1550 | 16.8 | 655 | 15.0 | 24 | 54.8 | | | | | | | | | | |
| 11 | NK | S12-25 | CruiserMaxx | 1735 | 17.0 | 655 | 15.0 | 24 | 61.2 | | | | | | | | | | |
| 12 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | IAN PORTEAUS | | Sales Rep # | EST | | Trial County | STORMONT DUNDAS AND GLEN | | | | | | | | | | | | |
|---|--------------|---------|-------------------|------------------|------------|-------------------|----------------------------|-----------|----------------|----------|----------------------|---------------|-------------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | WINCHESTER | | Sales Agent # | | | GPS Lat | 45.1382 | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | SUMMIT | | GPS Long | -75.3996 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | 5/27/2008 | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | 10/14/2008 | | | CE/WBC/FA | | | | | | | | | | | | |
| Planting Rate | 200,000 | | Soil Applied Ins. | | | | SCN | | | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | Aphid | | | | | | | | | | | | |
| Soil Texture | Medium | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | Signature on File | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | Do Not Include in Analysis | | -----Corn----- | | | --Sorghum-- | | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | --Soybean-- | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S04-Z9 | CruiserMaxx | 1765 | 12.1 | 1500 | 15.0 | 15 | 46.0 | | | | | | | | | | |
| 2 | NK | S08-C3 | CruiserMaxx | 1850 | 12.1 | 1500 | 15.0 | 15 | 48.2 | | | | | | | | | | |
| 3 | NK | S13-H7 | CruiserMaxx | 1875 | 12.1 | 1500 | 15.0 | 15 | 48.9 | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| | | | | | | | | | | | | | |
|------------------------|---------------|-------------------|------------------|-------------------|----------------------|-----------|-----|-------|--|--|--|--|--|
| Cooperator | CLIFF PRINGLE | Sales Rep # | EST | Trial County | LENNOX AND ADDINGTON | | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | |
| City | NAPANNEE | Sales Agent # | | GPS Lat | | | | | | | | | |
| State/Prov. | ON | Sales Agent | O'NEILS | GPS Long | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | |
| Irrigation Type | | Planting Date | | | Corn Rootworm | | | | | | | | |
| Previous Crop | | Harvest Date | | | | CE/WBC/FA | | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | | | SCN | | | | | | |
| Tillage | | Soil Applied Rate | | | | | | Aphid | | | | | |
| Soil Texture | | Soil pH | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Do Not Include in Analysis | | | | -----Corn----- | | --Soybean-- | | --Sorghum-- | |
|----|---------|----------|-----------|--------------|------------|------------|-----------|-----------|-------|----------|----------------------------|---------------|-------------|------------|----------------|-----------------|---------------|----------------|----------------|--|
| | | | | | | | | | | | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | |
| 1 | NK | S15-B1 | | 1730 | 12.7 | 920 | 7.5 | 40 | 54.8 | | | | | | | | | | | |
| 2 | DeKalb | DKB28-52 | | 1920 | 12.6 | 1015 | 7.5 | 40 | 55.2 | | | | | | | | | | | |
| 3 | DeKalb | DKB28-03 | | 1950 | 12.7 | 1015 | 7.5 | 40 | 56.0 | | | | | | | | | | | |
| 4 | DeKalb | DKB27-51 | | 1710 | 12.5 | 1015 | 7.5 | 40 | 49.2 | | | | | | | | | | | |
| 5 | DeKalb | DKB27-02 | | 1690 | 12.6 | 1015 | 7.5 | 40 | 48.6 | | | | | | | | | | | |
| 6 | Croplan | RT1784A | | 1920 | 12.5 | 1015 | 7.5 | 40 | 55.2 | | | | | | | | | | | |
| 7 | Croplan | RT1445 | | 1990 | 12.6 | 1012 | 7.5 | 40 | 57.4 | | | | | | | | | | | |
| 8 | Croplan | RT1004 | | 1840 | 12.3 | 1012 | 7.5 | 40 | 53.2 | | | | | | | | | | | |
| 9 | Croplan | RT0995 | | 1860 | 12.5 | 1012 | 7.5 | 40 | 53.7 | | | | | | | | | | | |
| 10 | Hyland | 13RS52 | | 1860 | 12.1 | 1008 | 7.5 | 40 | 54.1 | | | | | | | | | | | |
| 11 | Hyland | RAZOR | | 1890 | 12.3 | 1008 | 7.5 | 40 | 54.9 | | | | | | | | | | | |
| 12 | Hyland | 22R60 | | 1740 | 13.5 | 1008 | 7.5 | 40 | 49.8 | | | | | | | | | | | |
| 13 | Hyland | LYNX | | 1660 | 12.6 | 1008 | 7.5 | 40 | 48.0 | | | | | | | | | | | |
| 14 | NK | S13-H6 | | 1830 | 12.2 | 1002 | 7.5 | 40 | 53.5 | | | | | | | | | | | |
| 15 | NK | S14-A7 | | 1810 | 12.0 | 1002 | 7.5 | 40 | 53.1 | | | | | | | | | | | |
| 16 | NK | S15-B1 | | 1910 | 12.1 | 1002 | 7.5 | 40 | 55.9 | | | | | | | | | | | |
| 17 | NK | S08-C3 | | 1940 | 11.9 | 1002 | 7.5 | 40 | 56.9 | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Commercial

Plot ID

BU: NK Canada

| Cooperator | JAKE TALSMA | Sales Rep # | EST | Trial County | HASTINGS | | | | | | | | | | | | | | |
|---|-------------|-------------------|--------------------------|-------------------|--------------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | | | | | | | |
| City | STIRLING | Sales Agent # | | GPS Lat | | | | | | | | | | | | | | | |
| State/Prov. | ON | Sales Agent | CAMPBELLFORD FARM SUPPLY | GPS Long | | | | | | | | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | | | |
| Irrigation Type | | Planting Date | | | Corn Rootworm | | | | | | | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/13/2008 | | | CE/WBC/FA | | | | | | | | | | | | | |
| Planting Rate | 200,000 | Soil Applied Ins. | | | | | SCN | | | | | | | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | | | | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | | | | | | | | | | |
| X Cooperator Signature <i>Signature on File</i> | | | | | | | | | | | | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | | | | | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | | | | | | | |
| Do Not Include in Analysis | | | | | | | | | | | | | | | | | | | |
| -----Corn----- --Sorghum-- --Soybean-- | | | | | | | | | | | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | DeKalb | DKB27-51 | Other | 1550 | 12.0 | 1259 | 7.0 | 29 | 53.4 | | | | | | | | | | |
| 2 | NK | S08-C3 | Other | 1525 | 12.0 | 1259 | 7.0 | 29 | 52.6 | | | | | | | | | | |
| 3 | Hyland | 11R46 | CruiserMaxx | 1745 | 12.0 | 1259 | 7.0 | 29 | 60.2 | | | | | | | | | | |
| 4 | Hyland | RAZOR | CruiserMaxx | 1600 | 12.0 | 1259 | 7.0 | 29 | 55.2 | | | | | | | | | | |
| 5 | NK | S06-G6 | Other | 1615 | 12.0 | 1259 | 7.0 | 29 | 55.7 | | | | | | | | | | |
| 6 | NK | S04-Z9 | Other | 1645 | 12.0 | 1259 | 7.0 | 29 | 56.7 | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| | | | | | | | | | | | | | |
|------------------------|--------------|-------------------|------------------|-------------------|----------------------|-----------|-----|-------|--|--|--|--|--|
| Cooperator | LYLE WOOD | Sales Rep # | EST | Trial County | PRINCE EDWARD COUNTY | | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | |
| City | REDNERSVILLE | Sales Agent # | | GPS Lat | 44.1135 | | | | | | | | |
| State/Prov. | ON | Sales Agent | LYLE WOOD | GPS Long | -77.4300 | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | AA/Sales Rep | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | |
| Irrigation Type | | Planting Date | 5/26/2008 | | Corn Rootworm | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/19/2008 | | | CE/WBC/FA | | | | | | | |
| Planting Rate | | Soil Applied Ins. | | | | | SCN | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | | |
| Soil Texture | Fine | Soil pH | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Do Not Include in Analysis | | | | -----Corn----- | | --Soybean-- | | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | |
|----|-------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|----------------------------|---------------|-------------|------------|----------------|-----------------|-------------|--|-----------------|---------------|----------------|----------------|--|
| | | | | | | | | | | | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | | | | | | | |
| 1 | NK | S21-N6 | CruiserMaxx | 630 | 13.7 | 525 | 7.0 | 25 | 59.3 | | | | | | | | | | | | | | |
| 2 | NK | S15-B1 | CruiserMaxx | 610 | 13.9 | 527 | 7.0 | 25 | 57.0 | | | | | | | | | | | | | | |
| 3 | NK | S06-G6 | CruiserMaxx | 610 | 14.0 | 529 | 7.0 | 25 | 56.7 | | | | | | | | | | | | | | |
| 4 | NK | S08-C3 | CruiserMaxx | 605 | 13.8 | 531 | 7.0 | 25 | 56.2 | | | | | | | | | | | | | | |
| 5 | NK | XR1281 | CruiserMaxx | 610 | 13.8 | 533 | 7.0 | 25 | 56.5 | | | | | | | | | | | | | | |
| 6 | NK | S11-R6 | CruiserMaxx | 650 | 14.0 | 535 | 7.0 | 25 | 59.8 | | | | | | | | | | | | | | |
| 7 | NK | XR1280 | CruiserMaxx | 660 | 14.0 | 537 | 7.0 | 25 | 60.5 | | | | | | | | | | | | | | |
| 8 | NK | S14-A7 | CruiserMaxx | 625 | 13.8 | 539 | 7.0 | 25 | 57.2 | | | | | | | | | | | | | | |
| 9 | NK | S17-A1 | CruiserMaxx | 635 | 13.8 | 541 | 7.0 | 25 | 57.9 | | | | | | | | | | | | | | |
| 10 | NK | S14-K6 | CruiserMaxx | 650 | 13.8 | 543 | 7.0 | 25 | 59.0 | | | | | | | | | | | | | | |
| 11 | NK | XR1684 | CruiserMaxx | 620 | 14.5 | 545 | 7.0 | 25 | 55.7 | | | | | | | | | | | | | | |
| 12 | NK | XR1986 | CruiserMaxx | 600 | 14.8 | 547 | 7.0 | 25 | 53.5 | | | | | | | | | | | | | | |
| 13 | NK | S19-R5 | CruiserMaxx | 670 | 14.0 | 549 | 7.0 | 25 | 60.1 | | | | | | | | | | | | | | |
| 14 | Pride | PS56 | CruiserMaxx | 615 | 13.8 | 551 | 7.0 | 25 | 55.1 | | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| Cooperator | LYLE WOOD | | Sales Rep # | EST | | Trial County | PRINCE EDWARD COUNTY | | | | | | | | | | | | |
|---|--------------|---------|-------------------|------------------|----------------------|-------------------|----------------------------|-----------|-------|----------|----------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| Address | | | Sales Rep | JEREMY NIXON | | Trial State/Prov. | ON | | | | | | | | | | | | |
| City | REDNERSVILLE | | Sales Agent # | | | GPS Lat | 44.1135 | | | | | | | | | | | | |
| State/Prov. | ON | | Sales Agent | LYLE WOOD | | GPS Long | -77.4300 | | | | | | | | | | | | |
| Cooperator Postal Code | | | Retail Account | | | Harvested By | AA/Sales Rep | | | | | | | | | | | | |
| Water Mgmt. | None | | Weighing Device | Weigh Wagon/Pads | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | |
| Irrigation Type | | | Planting Date | 5/26/2008 | | | Corn Rootworm | | | | | | | | | | | | |
| Previous Crop | Corn | | Harvest Date | 10/19/2008 | | | | CE/WBC/FA | | | | | | | | | | | |
| Planting Rate | | | Soil Applied Ins. | | | | | | SCN | | | | | | | | | | |
| Tillage | No-Till | | Soil Applied Rate | | | | | | | Aphid | | | | | | | | | |
| Soil Texture | Fine | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | X | Cooperator Signature | | Signature on File | | | | | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | Do Not Include in Analysis | | | | -----Corn----- | | --Sorghum-- | | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | --Soybean-- | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
| 1 | NK | S21-N6 | CruiserMaxx | 630 | 13.7 | 525 | 7.0 | 25 | 59.3 | | | | | | | | | | |
| 2 | NK | S15-B1 | CruiserMaxx | 610 | 13.9 | 527 | 7.0 | 25 | 57.0 | | | | | | | | | | |
| 3 | NK | S06-G6 | CruiserMaxx | 610 | 14.0 | 529 | 7.0 | 25 | 56.7 | | | | | | | | | | |
| 4 | NK | S08-C3 | CruiserMaxx | 605 | 13.8 | 531 | 7.0 | 25 | 56.2 | | | | | | | | | | |
| 5 | NK | XR1281 | CruiserMaxx | 610 | 13.8 | 533 | 7.0 | 25 | 56.5 | | | | | | | | | | |
| 6 | NK | S11-R6 | CruiserMaxx | 650 | 14.0 | 535 | 7.0 | 25 | 59.8 | | | | | | | | | | |
| 7 | NK | XR1280 | CruiserMaxx | 660 | 14.0 | 537 | 7.0 | 25 | 60.5 | | | | | | | | | | |
| 8 | NK | S14-A7 | CruiserMaxx | 625 | 13.8 | 539 | 7.0 | 25 | 57.2 | | | | | | | | | | |
| 9 | NK | S17-A1 | CruiserMaxx | 635 | 13.8 | 541 | 7.0 | 25 | 57.9 | | | | | | | | | | |
| 10 | NK | S14-K6 | CruiserMaxx | 650 | 13.8 | 543 | 7.0 | 25 | 59.0 | | | | | | | | | | |
| 11 | NK | XR1684 | CruiserMaxx | 620 | 14.5 | 545 | 7.0 | 25 | 55.7 | | | | | | | | | | |
| 12 | NK | XR1986 | CruiserMaxx | 600 | 14.8 | 547 | 7.0 | 25 | 53.5 | | | | | | | | | | |
| 13 | NK | S19-R5 | CruiserMaxx | 670 | 14.0 | 549 | 7.0 | 25 | 60.1 | | | | | | | | | | |
| 14 | Pride | PS56 | CruiserMaxx | 615 | 13.8 | 551 | 7.0 | 25 | 55.1 | | | | | | | | | | |
| 15 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| | | | | | | | | | | | | | |
|------------------------|------------|-------------------|------------------|-------------------|--------------------|-----------|-----|-------|--|--|--|--|--|
| Cooperator | JIM WOOF | Sales Rep # | EST | Trial County | NORTHUMBERLAND | | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | |
| City | CODRINGTON | Sales Agent # | | GPS Lat | 44.1899 | | | | | | | | |
| State/Prov. | ON | Sales Agent | TRI-COUNTY | GPS Long | -77.7841 | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | |
| Irrigation Type | | Planting Date | 5/28/2008 | | Corn Rootworm | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/31/2008 | | | CE/WBC/FA | | | | | | | |
| Planting Rate | 200,000 | Soil Applied Ins. | | | | | SCN | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. X Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538
 Do Not Include in Analysis -----Corn----- --Sorghum-- --Soybean--

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|---|--------|----------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 1 | Hyland | LYNX RR | CruiserMaxx | 1215 | 14.4 | 700 | 7.0 | 33 | 64.4 | | | | | | | | | | |
| 2 | NK | S04-Z9 | CruiserMaxx | 1230 | 14.6 | 700 | 7.0 | 33 | 65.1 | | | | | | | | | | |
| 3 | DeKalb | DKB2803R | CruiserMaxx | 1280 | 14.9 | 700 | 7.0 | 33 | 67.5 | | | | | | | | | | |
| 4 | Hyland | 11R46 | CruiserMaxx | 1155 | 15.2 | 700 | 7.0 | 33 | 60.7 | | | | | | | | | | |
| 5 | NK | S14-K6 | CruiserMaxx | 1050 | 15.4 | 700 | 7.0 | 33 | 55.0 | | | | | | | | | | |
| 6 | Hyland | RESPOND | CruiserMaxx | 1770 | 14.6 | 700 | 7.0 | 50 | 61.8 | | | | | | | | | | |
| 7 | Hyland | LYNX RR | CruiserMaxx | 1645 | 14.0 | 700 | 7.0 | 50 | 57.8 | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| | | | | | | | | | | | | | |
|------------------------|---|-------------------|------------------|-------------------|--------------------|-----------|-----|-------|--|--|--|--|--|
| Cooperator | JIM WOOF | Sales Rep # | EST | Trial County | NORTHUMBERLAND | | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | | |
| City | CODRINGTON | Sales Agent # | | GPS Lat | 44.1899 | | | | | | | | |
| State/Prov. | ON | Sales Agent | TRI-COUNTY | GPS Long | -77.7841 | | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | | |
| Irrigation Type | | Planting Date | 5/28/2008 | | Corn Rootworm | | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/31/2008 | | | CE/WBC/FA | | | | | | | |
| Planting Rate | 200,000 | Soil Applied Ins. | | | | | SCN | | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | |
| Comments | ENTRY #9 WAS PLANTED AT 20% HIGH POPULATION (104 LBS) | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. Cooperator Signature

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Do Not Include in Analysis | | | | -----Corn----- | | --Soybean-- | | --Sorghum-- | |
|----|--------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|----------------------------|---------------|-------------|------------|----------------|-----------------|---------------|----------------|----------------|--|
| | | | | | | | | | | | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | |
| 1 | NK | S18-R6 | CruiserMaxx | 2280 | 15.5 | 700 | 7.0 | 67 | 58.8 | | | | | | | | | | | |
| 2 | Hyland | COLIN | CruiserMaxx | 1615 | 15.4 | 700 | 7.0 | 50 | 55.8 | | | | | | | | | | | |
| 3 | Hyland | 13C38 | CruiserMaxx | 1845 | 15.5 | 700 | 7.0 | 50 | 63.7 | | | | | | | | | | | |
| 4 | NK | S05-T6 | CruiserMaxx | 1755 | 14.7 | 700 | 7.0 | 50 | 61.2 | | | | | | | | | | | |
| 5 | NK | S10-B7 | CruiserMaxx | 1770 | 15.2 | 700 | 7.0 | 50 | 61.3 | | | | | | | | | | | |
| 6 | Hyland | COLBY | CruiserMaxx | 1765 | 15.2 | 700 | 7.0 | 50 | 61.2 | | | | | | | | | | | |
| 7 | NK | S18-R6 | CruiserMaxx | 1730 | 15.4 | 700 | 7.0 | 50 | 59.8 | | | | | | | | | | | |
| 8 | Hyland | COLBY | CruiserMaxx | 1735 | 15.0 | 700 | 7.0 | 50 | 60.3 | | | | | | | | | | | |
| 9 | Hyland | COLBY | CruiserMaxx | 1155 | 14.8 | 700 | 7.0 | 33 | 60.9 | | | | | | | | | | | |
| 10 | NK | S12-A5 | CruiserMaxx | 1720 | 14.9 | 700 | 7.0 | 50 | 59.8 | | | | | | | | | | | |
| 11 | SECAN | WALLACE | CruiserMaxx | 1820 | 14.4 | 700 | 7.0 | 50 | 63.7 | | | | | | | | | | | |
| 12 | Hyland | TO521 | CruiserMaxx | 1240 | 15.0 | 700 | 7.0 | 33 | 65.3 | | | | | | | | | | | |
| 13 | Hyland | TO530 | CruiserMaxx | 1120 | 15.8 | 700 | 7.0 | 33 | 58.4 | | | | | | | | | | | |
| 14 | Hyland | MADISON | CruiserMaxx | 1795 | 14.6 | 700 | 7.0 | 50 | 62.7 | | | | | | | | | | | |
| 15 | Hyland | CONNOR | CruiserMaxx | 1680 | 14.7 | 700 | 7.0 | 50 | 58.6 | | | | | | | | | | | |
| 16 | NK | S18-R6 | CruiserMaxx | 2270 | 15.2 | 700 | 7.0 | 67 | 58.7 | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Experimental

Plot ID

BU: NK Canada

| | | | | | | | | | | | | |
|------------------------|------------|-------------------|------------------|-------------------|--------------------|-----------|-----|-------|--|--|--|--|
| Cooperator | JIM WOOF | Sales Rep # | EST | Trial County | NORTHUMBERLAND | | | | | | | |
| Address | | Sales Rep | JEREMY NIXON | Trial State/Prov. | ON | | | | | | | |
| City | CODRINGTON | Sales Agent # | | GPS Lat | 44.1899 | | | | | | | |
| State/Prov. | ON | Sales Agent | TRI-COUNTY | GPS Long | -77.7841 | | | | | | | |
| Cooperator Postal Code | | Retail Account | | Harvested By | Dealer/Sales Agent | | | | | | | |
| Water Mgmt. | None | Weighing Device | Weigh Wagon/Pads | Corn Borer | Severe | Mod. | Low | None | | | | |
| Irrigation Type | | Planting Date | 5/28/2008 | | Corn Rootworm | | | | | | | |
| Previous Crop | Corn | Harvest Date | 10/31/2008 | | | CE/WBC/FA | | | | | | |
| Planting Rate | 200,000 | Soil Applied Ins. | | | | | SCN | | | | | |
| Tillage | No-Till | Soil Applied Rate | | | | | | Aphid | | | | |
| Soil Texture | Medium | Soil pH | | | | | | | | | | |
| Directions | | | | | | | | | | | | |
| Comments | | | | | | | | | | | | |

Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. Cooperator Signature *Signature on File*

Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows
 Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Do Not Include in Analysis | | | | -----Corn----- | | --Soybean-- | | | |
|----|---------|----------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|----------------------------|---------------|-------------|------------|----------------|-----------------|---------------|----------------|----------------|--|
| | | | | | | | | | | | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | |
| 1 | Hyland | LYNX | CruiserMaxx | 1590 | 13.8 | 700 | 7.0 | 50 | 56.0 | | | | | | | | | | | |
| 2 | NK | S08-C3 | CruiserMaxx | 1675 | 14.4 | 700 | 7.0 | 50 | 58.6 | | | | | | | | | | | |
| 3 | Hyland | REACT | Other | 1615 | 13.8 | 700 | 7.0 | 50 | 56.9 | | | | | | | | | | | |
| 4 | Hyland | X02RS | Other | 1885 | 14.4 | 700 | 7.0 | 50 | 66.0 | | | | | | | | | | | |
| 5 | Hyland | REACT | CruiserMaxx | 1595 | 13.8 | 700 | 7.0 | 50 | 56.2 | | | | | | | | | | | |
| 6 | Croplan | RT0611 | CruiserMaxx | 1775 | 14.0 | 700 | 7.0 | 50 | 62.4 | | | | | | | | | | | |
| 7 | NK | S06-G6 | CruiserMaxx | 1680 | 14.0 | 700 | 7.0 | 50 | 59.1 | | | | | | | | | | | |
| 8 | Pioneer | 91Y20 | CruiserMaxx | 1620 | 13.9 | 700 | 7.0 | 50 | 57.0 | | | | | | | | | | | |
| 9 | NK | X511R | CruiserMaxx | 1755 | 13.6 | 700 | 7.0 | 50 | 62.0 | | | | | | | | | | | |
| 10 | Hyland | LYNX | CruiserMaxx | 2285 | 13.7 | 700 | 7.0 | 67 | 60.1 | | | | | | | | | | | |
| 11 | NK | S10-T1 | CruiserMaxx | 1445 | 13.7 | 700 | 7.0 | 50 | 51.0 | | | | | | | | | | | |
| 12 | NK | XR1280 | CruiserMaxx | 1860 | 13.7 | 700 | 7.0 | 50 | 65.6 | | | | | | | | | | | |
| 13 | DeKalb | DKB2707R | CruiserMaxx | 1610 | 13.2 | 700 | 7.0 | 50 | 57.1 | | | | | | | | | | | |
| 14 | Croplan | RTO995 | CruiserMaxx | 1775 | 13.8 | 700 | 7.0 | 50 | 62.5 | | | | | | | | | | | |
| 15 | Hyland | RAZOR | CruiserMaxx | 1560 | 13.4 | 700 | 7.0 | 50 | 55.2 | | | | | | | | | | | |
| 16 | NK | XR1281 | CruiserMaxx | 1515 | 13.6 | 700 | 7.0 | 50 | 53.5 | | | | | | | | | | | |
| 17 | NK | S13-H7 | CruiserMaxx | 1605 | 14.2 | 700 | 7.0 | 50 | 56.3 | | | | | | | | | | | |

| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include |
|----|---------|---------|-------------|--------------|------------|------------|-----------|-----------|-------|----------|-------------|---------------|-------------|------------|---------|-----------------|---------------|----------------|----------------|
| 18 | Pioneer | 91M41 | CruiserMaxx | 1845 | 13.8 | 700 | 7.0 | 50 | 65.0 | | | | | | | | | | |
| 19 | Hyland | TO617RR | CruiserMaxx | 2165 | 13.4 | 700 | 7.0 | 67 | 57.2 | | | | | | | | | | |
| 20 | Hyland | TO542RR | CruiserMaxx | 1190 | 13.8 | 700 | 7.0 | 33 | 63.5 | | | | | | | | | | |
| 21 | Hyland | LYNX | CruiserMaxx | 1685 | 13.4 | 700 | 7.0 | 50 | 59.6 | | | | | | | | | | |
| 22 | | | | | | | | | | | | | | | | | | | |



iYield Harvest Outline

Crop Soybean

Type of Plot Agronomy

Plot ID

BU: NK Canada

| Cooperator | 4-C LAZIDEE FARM | | | | Sales Rep # | EST | | | | Trial County | STORMONT DUNDAS AND GLEN | | | | | | | | | | |
|---|-------------------------------|---------|-----------|--------------|-------------------|------------|-----------|-----------|-------|----------------------------|--------------------------|---------------|-------------|-------------|--------------------------|-----------------|---------------|----------------|----------------|--|--|
| Address | | | | | Sales Rep | JEREMY | | | | Trial State/Prov. | ON | | | | | | | | | | |
| City | MOUNTAIN | | | | Sales Agent # | | | | | GPS Lat | 45.0395 | | | | | | | | | | |
| State/Prov. | ON | | | | Sales Agent | SUMMIT | | | | GPS Long | -75.4876 | | | | | | | | | | |
| Cooperator Postal Code | | | | | Retail Account | | | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | |
| Water Mgmt. | None | | | | Weighing Device | | | | | Corn Borer | Severe | Mod. | Low | None | | | | | | | |
| Irrigation Type | | | | | Planting Date | 5/22/2008 | | | | | Corn Rootworm | | | | | | | | | | |
| Previous Crop | Corn | | | | Harvest Date | 10/8/2008 | | | | | | CE/WBC/FA | | | | | | | | | |
| Planting Rate | | | | | Soil Applied Ins. | | | | | | | | SCN | | | | | | | | |
| Tillage | No-Till | | | | Soil Applied Rate | | | | | | | | | Aphid | | | | | | | |
| Soil Texture | Medium | | | | Soil pH | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | |
| Comments | ENTRY #2 TREATED WITH QUADRIS | | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | | | <i>Signature on File</i> | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | Do Not Include in Analysis | | | | | -----Corn----- | | | | --Sorghum-- | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | | --Soybean-- | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | | |
| 1 | NK | S04-Z9 | Other | 4010 | 11.8 | 2605 | 7.5 | 40 | 45.3 | | | | | | | | | | | | |
| 2 | NK | S04-Z9 | Other | 4460 | 11.8 | 2537 | 7.5 | 40 | 51.8 | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Agronomy

Plot ID

BU: NK Canada

| Cooperator | 4-C LAZIDEE FARM | | | | | | Sales Rep # | EST | | | | | | Trial County | STORMONT DUNDAS AND GLEN | | | | | | | | | | | | | | | |
|---|-------------------------------|---------|-----------|--------------|------------|------------|-------------------|-----------|-------|----------|-------------|----------------------------|-------------|-------------------|--------------------------|-----------------|---------------|----------------|----------------|--|--|--|--|--|-------------|--|--|--|--|--|
| Address | | | | | | | Sales Rep | JEREMY | | | | | | Trial State/Prov. | ON | | | | | | | | | | | | | | | |
| City | MOUNTAIN | | | | | | Sales Agent # | | | | | | | GPS Lat | 45.0475 | | | | | | | | | | | | | | | |
| State/Prov. | ON | | | | | | Sales Agent | SUMMIT | | | | | | GPS Long | -75.4782 | | | | | | | | | | | | | | | |
| Cooperator Postal Code | | | | | | | Retail Account | | | | | | | Harvested By | Dealer/Sales Agent | | | | | | | | | | | | | | | |
| Water Mgmt. | None | | | | | | Weighing Device | | | | | | | Corn Borer | Severe | Mod. | Low | None | | | | | | | | | | | | |
| Irrigation Type | | | | | | | Planting Date | | | | | | | | Corn Rootworm | | | | | | | | | | | | | | | |
| Previous Crop | Corn | | | | | | Harvest Date | 10/8/2008 | | | | | | | | CE/WBC/FA | | | | | | | | | | | | | | |
| Planting Rate | | | | | | | Soil Applied Ins. | | | | | | | | | | SCN | | | | | | | | | | | | | |
| Tillage | No-Till | | | | | | Soil Applied Rate | | | | | | | | | | | Aphid | | | | | | | | | | | | |
| Soil Texture | Medium | | | | | | Soil pH | | | | | | | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Comments | ENTRY #2 TREATED WITH QUADRIS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | | | Cooperator Signature | | | | | | | | | | | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | | | Do Not Include in Analysis | | | | | | | -----Corn----- | | | | | | --Sorghum-- | | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | | | | | | | --Soybean-- | | | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | | | | | | | | | | | |
| 1 | NK | S04-Z9 | Other | 980 | 11.2 | 726 | 7.5 | 40 | 40.0 | | | | | | | | | | | | | | | | | | | | | |
| 2 | NK | S04-Z9 | Other | 1000 | 11.2 | 706 | 7.5 | 40 | 42.0 | | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Crop Soybean

iYield Harvest Outline

Type of Plot Agronomy

Plot ID

BU: NK Canada

| Cooperator | 4-C LAZIDEE FARM | | | | | | Sales Rep # | EST | | | | | | Trial County | STORMONT DUNDAS AND GLEN | | | | | | | | | |
|---|-------------------------------|---------|-----------|--------------|------------|------------|-------------------|------------------|-------|----------------------------|----------------------|---------------|-------------|-------------------|--------------------------|-------------------|---------------|----------------|----------------|-------------|--|--|--|--|
| Address | | | | | | | Sales Rep | JEREMY | | | | | | Trial State/Prov. | ON | | | | | | | | | |
| City | MOUNTAIN | | | | | | Sales Agent # | | | | | | | GPS Lat | 45.0040 | | | | | | | | | |
| State/Prov. | ON | | | | | | Sales Agent | SUMMIT | | | | | | GPS Long | -75.4832 | | | | | | | | | |
| Cooperator Postal Code | | | | | | | Retail Account | | | | | | | Harvested By | Dealer/Sales Agent | | | | | | | | | |
| Water Mgmt. | None | | | | | | Weighing Device | Weigh Wagon/Pads | | | | | | Corn Borer | Severe | Mod. | Low | None | | | | | | |
| Irrigation Type | | | | | | | Planting Date | | | | | | | | Corn Rootworm | | | | | | | | | |
| Previous Crop | Corn | | | | | | Harvest Date | 10/8/2008 | | | | | | | | CE/WBC/FA | | | | | | | | |
| Planting Rate | | | | | | | Soil Applied Ins. | | | | | | | | | | SCN | | | | | | | |
| Tillage | No-Till | | | | | | Soil Applied Rate | | | | | | | | | | | Aphid | | | | | | |
| Soil Texture | Medium | | | | | | Soil pH | | | | | | | | | | | | | | | | | |
| Directions | | | | | | | | | | | | | | | | | | | | | | | | |
| Comments | ENTRY #2 TREATED WITH QUADRIS | | | | | | | | | | | | | | | | | | | | | | | |
| Release Statement: I grant the Syngenta Seeds, Inc permission to use this information for advertising and promotion purposes. | | | | | | | | | | X | Cooperator Signature | | | | | Signature on File | | | | | | | | |
| Yield Formula: Entry Wt X Factor X (100-moisture) / row length / row width / # of rows | | | | | | | | | | Do Not Include in Analysis | | | | | -----Corn----- | | | | | --Sorghum-- | | | | |
| Crop Factors: Corn (15%) = 109.815 Soybeans (13%) = 100.138 Grain Sorghum (14%) = 108.538 | | | | | | | | | | | | | | | --Soybean-- | | | | | | | | | |
| # | Brand | Product | Seed Trt. | Entry Weight | % Moisture | Row Length | Row Width | # of Rows | Yield | Test Wt. | Stand Count | Broken Stalks | Root Lodged | Drppd Ears | Shatter | Harvest Lodging | Head Exertion | Soil App. Ins. | Do Not Include | | | | | |
| 1 | NK | S04-Z9 | Other | 3630 | 11.3 | 2080 | 7.5 | 40 | 51.7 | | | | | | | | | | | | | | | |
| 2 | NK | S04-Z9 | Other | 3470 | 11.3 | 2100 | 7.5 | 40 | 48.9 | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | | | | | |